

# Collaborative Clinical and Basic Research in Arthritis Treatment

## A Young Woman Benefits from 10 Years of Bench-to-Bedside Research at Rush

BRIAN J. COLE, MD, MBA / ANNEMARIE K. TILTON, BS / RACHEL M. FRANK, MD / SUSAN CHUBINSKAYA, PHD

MARKUS A. WIMMER, PHD / NIKHIL N. VERMA, MD / ADAM YANKE, MD

### References

1. McNickle AG, Provencher MT, Cole BJ. Overview of existing cartilage repair technology. *Sports Med Arthrosc.* 2008;16(4):196-201.
2. Batty L, Dance S, Bajaj S, Cole BJ. Autologous chondrocyte implantation: an overview of technique and outcomes. *ANZ J Surg.* 2011;81(1-2):18-25.
3. Farr J, Cole B, Dhawan A, Kercher J, Sherman S. Clinical cartilage restoration: evolution and overview. *Clin Orthop Relat Res.* 2011;469(10):2696-2705.
4. Moran CJ, Pascual-Garrido C, Chubinskaya S, et al. Restoration of articular cartilage. *J Bone Joint Surg Am.* 2014;96(4):336-344.
5. Harris JD, Erickson BJ, Abrams GD, et al. Methodologic quality of knee articular cartilage studies. *Arthroscopy.* 2013;29(7):1243-1252.e5.
6. Cole BJ, Carter TR, Rodeo SA. Allograft meniscal transplantation: background, techniques, and results. *Instr Course Lect.* 2003;52:383-396.
7. Cole BJ, Pascual-Garrido C, Grumet RC. Surgical management of articular cartilage defects in the knee. *Instr Course Lect.* 2010;59:181-204.
8. Cole BJ, Seroyer ST, Filardo G, Bajaj S, Fortier LA. Platelet-rich plasma: where are we now and where are we going? *Sports Health.* 2010;2(3):203-210.
9. Cole BJ, Fortier L, Karas V, Hussey K, Tilton A, Merkow D, Stuckey A, Verma N, Bach B, Forsythe B. HA vs PRP: Double-blind RCT comparing clinical outcomes and intra-articular biology for treatment of knee arthritis. Podium presented at: Annual Meeting of the Arthroscopy Association of North America; April 2015; Los Angeles, CA.
10. Sundman EA, Cole BJ, Karas V, et al. The anti-inflammatory and matrix restorative mechanisms of platelet-rich plasma in osteoarthritis. *Am J Sports Med.* 2014;42(1):35-41.
11. Van Thiel GS, Frank RM, Gupta A, et al. Biomechanical evaluation of a high tibial osteotomy with a meniscal transplant. *J Knee Surg.* 2011;24(1):45-53.
12. Beck PR, Thomas AL, Farr J, Lewis P, Cole BJ. Trochlear contact pressures after anteromedialization of the tibial tubercle. *Am J Sports Med.* 2005;33(11):1710-1715.
13. Cole BJ, Freedman KB, Takasali S, Hingtgen B, DiMasi M, Bach BR, Hurwitz DE. Use of a lateral offset short-leg walking cast before high tibial osteotomy. *Clin Orthop Relat Res.* 2003;408:209-217.
14. Williams JM, Viridi AS, Pylawka TK, Edwards RB, Markel MD, Cole BJ. Prolonged-fresh preservation of intact whole canine femoral condyles for the potential use as osteochondral allografts. *J Orthop Res.* 2005;23(4):831-837.
15. McCulloch PC, Kang RW, Sobhy MH, Hayden JK, Cole BJ. Prospective evaluation of prolonged fresh osteochondral allograft transplantation of the femoral condyle: minimum 2-year follow-up. *Am J Sports Med.* 2007;35(3):411-420.
16. Campbell J, Filardo G, Bruce B, et al. Salvage of contaminated osteochondral allografts: the effects of chlorhexidine on human articular chondrocyte viability. *Am J Sports Med.* 2014;42(4):973-978.
17. Pylawka TK, Wimmer M, Cole BJ, Viridi AS, Williams JM. Impaction affects cell viability in osteochondral tissues during transplantation. *J Knee Surg.* 2007;20(2):105-110.
18. Balash P, Kang RW, Schwenke T, Cole BJ, Wimmer MA. Osteochondral tissue cell viability is affected by total impulse during impaction grafting. *Cartilage.* 2010;1(4):270-275.
19. Harris JD, Frank RM, McCormick F, Cole BJ. Minced cartilage techniques. *Oper Tech Orthop.* 2014;24(1):27-34.
20. Cole BJ, Fortier L, Cook J, Cross J, Chapman H, Roller B. Micronized allograft articular cartilage (BioCartilage) and platelet-rich plasma to augment marrow stimulation in an equine model of articular cartilage defects. Podium presented at: Annual Meeting of the Arthroscopy Association of North America; April 2015; Los Angeles, CA.
21. Wang V, Karas V, Lee A, Ziyang Y, Van Thiel G, Hussey K, Sumner R, Chubinskaya S, Magin R, Verma N, Romeo A, Cole B. Comparison of microfracture to autologous matrix induced chondrogenesis in a novel rabbit shoulder model. *J Shoulder Elbow Surg.* In press.
22. Chahal J, Gross AE, Gross C, et al. Outcomes of osteochondral allograft transplantation in the knee. *Arthroscopy.* 2013;29(3):575-588.
23. Abrams GD, Hussey KE, Harris JD, Cole BJ. Clinical results of combined meniscus and femoral osteochondral allograft transplantation: minimum 2-year follow-up. *Arthroscopy.* 2014;30(8):964-970.e1.

24. Harris JD, Hussey K, Wilson H, et al. Biological knee reconstruction for combined malalignment, meniscal deficiency, and articular cartilage disease. *Arthroscopy*. 2015;31(2):275-282.
25. Ode GE, Van Thiel GS, McArthur SA, et al. Effects of serial sectioning and repair of radial tears in the lateral meniscus. *Am J Sports Med*. 2012;40(8):1863-1870.
26. Lee SJ, Aadalen KJ, Malaviya P, et al. Tibiofemoral contact mechanics after serial medial meniscectomies in the human cadaveric knee. *Am J Sports Med*. 2006;34(8):1334-1344.
27. McCormick F, Harris JD, Abrams GD, et al. Survival and reoperation rates after meniscal allograft transplantation: analysis of failures for 172 consecutive transplants at a minimum 2-year follow-up. *Am J Sports Med*. 2014;42(4):892-897.
28. Saltzman BM, Bajaj S, Salata M, et al. Prospective long-term evaluation of meniscal allograft transplantation procedure: a minimum of 7-year follow-up. *J Knee Surg*. 2012;25(2):165-175.
29. Chalmers PN, Karas V, Sherman SL, Cole BJ. Return to high-level sport after meniscal allograft transplantation. *Arthroscopy*. 2013;29(3):539-544.

---

No sources of support in the forms of grants, equipment, or other items were received for this study. The authors report no conflict of interest. The authors' personal disclosure information can be accessed through the AAOS Orthopedic Disclosure Program at [www.aaos.org](http://www.aaos.org).

# Aneurysmal Bone Cyst of the Thoracic Spine

## A Case Report and Review of Literature

ANDREW SEXTON, BS / PHILIP K. LOUIE, MD / EHSAN TABARAEI, MD / DAVID FARDON, MD / MATTHEW W. COLMAN, MD

### References

1. Fisher CG, Goldschlager T, Boriani S, Varga PP, Fehlings MG, Blisky MH, Dekutoski MB, Luzzati A, Williams RP, Berven S, Chou D, Reynolds JJ, Quraishi NA, Rhines LD, Bettegowda C, Gokaslan ZL. A novel scientific model for rare and often neglected neoplastic conditions. *Evid Based Spine Care J*. 2013;04(02):160-162.
2. Zileli M, Isik HS, Ogut FE, Is M, Cagli S, Calli C. Aneurysmal bone cysts of the spine. *Eur Spine J*. 2012;22(3):593-601.
3. Boriani S, Lo SL, Puvanesarajah V, Fisher, CG, Varga PP, Rhines LD, Gernscheid NM, Luzzati A, Chou D, Reynolds JJ, Williams RP, Zadnik P, Groves M, Sciubba DM, Bettegowda C, Gokaslan ZL. Aneurysmal bone cysts of the spine: treatment options and considerations. *J Neurooncol* 2014;120(1):171-178.
4. Rapp TB, Ward JP, Alaia MJ. Aneurysmal bone cyst. *J Am Acad Orthop Surg*. 2012;20(4):233-241.
5. Thakur NA, Daniels AH, Schiller J, Valdes MA, Czerwejn JK, Schiller A, Esmende S, Terek RM. Benign tumors of the spine. *J Am Acad Orthop Surg*. 2012;20(11):715-724.
6. Gasbarrini A, Cappuccio M, Donthineni R, Bandiera S, Boriani S. Management of benign tumors of the mobile spine. *Orthop Clin North Am*. 2009;40(1):9-19.
7. Mankin HJ. Aneurysmal bone cyst: a review of 150 patients. *J Clin Oncol*. 2005;23(27):6756-6762.
8. Chan MS, Wong Y-C, Yuen M-K, Lam D. Spinal aneurysmal bone cyst causing acute cord compression without vertebral collapse: CT and MRI findings. *Ped Radiol*. 2002;32(8):601-604.
9. Enneking WF. A system of staging musculoskeletal neoplasms. *Clin Orthop Relat Res*. 1986;(204):9-24.
10. Boriani S, Weinstein JN, Biagini R. Primary bone tumors of the spine: terminology and surgical staging. *Spine*. 1997;22(9):1036-1044.
11. Clarke M, Hsu W, Suk I, McCarthy E, Black J III, Sciubba, D, Bydon A, Yassari, R, Witham T, Gokaslan Z, Wolinsky J-P. Three-level en bloc spondylectomy for chordoma. *Neurosurg*. 2011;68(suppl 2):325.
12. Amendola L, Simonetti L, Simoes CE, Bandiera S, De Iure F, Boriani S. Aneurysmal bone cyst of the mobile spine: the therapeutic role of embolization. *Eur Spine J*. 2012;22(3):533-541.
13. Mesfin A, Buchowski JM, Zebala LP, Bakhsh WR, Aronson AB, Fogelson JL, Hershman S, Kim HJ, Ahmad A, Bridwell KH. High-dose rhBMP-2 for adults: major and minor complications. *J Bone Joint Surg Am*. 2013;95(17):1546.
14. Mesfin A, McCarthy EF, Kebaish KM. Surgical treatment of aneurysmal bone cysts of the spine. *Iowa Orthop J*. 2012;32:40-45.
15. Saccomanni B. Aneurysmal bone cyst of spine: a review of literature. *Arch Orthop Trauma Surg*. 2007;128(10):1145-1147.
16. Hay MC, Paterson D, Taylor TK. Aneurysmal bone cysts of the spine. *J Bone Joint Surg Am*. 1978;60-B(3):1-6.
17. Bilsky MH, Boland PJ, Panageas KS, Woodruff JM, Brennan MF, Healey JH. Intralesional resection of primary and metastatic sarcoma involving the spine: outcome analysis of 59 patients. *Neurosurgery*. 2001;49(6):1277-1287.
18. Harrop JS, Schmidt MH, Boriani S, Shaffrey CI. Aggressive "benign" primary spine neoplasms. *Spine*. 2009;34(suppl):S39-S47.
19. Boriani S, Bandiera S, Donthineni R, Amendola L, Cappuccio M, De Iure F, Gasbarrini A. Morbidity of en bloc resections in the spine. *Eur Spine J*. 2009;19(2):231-241.

---

No sources of support in the forms of grants, equipment, or other items were received for this study. The authors report no conflict of interest. The authors' personal disclosure information can be accessed through the AAOS Orthopedic Disclosure Program at [www.aaos.org](http://www.aaos.org).

# Management of Isolated Greater Tuberosity Fractures

## A Systematic Review

DAVID M. LEVY, MD / BRANDON J. ERICKSON, MD / JOSHUA D. HARRIS, MD  
BERNARD R. BACH JR, MD / NIKHIL N. VERMA, MD / ANTHONY A. ROMEO, MD

### References

1. Bhatia DN, van Rooyen KS, Toit du DF, de Beer JF. Surgical treatment of comminuted, displaced fractures of the greater tuberosity of the proximal humerus: a new technique of double-row suture-anchor fixation and long-term results. *Injury*. 2006;37(10):946-952.
2. Chen CY, Chao EK, Tu YK, Ueng SW, Shih CH. Closed management and percutaneous fixation of unstable proximal humerus fractures. *J Trauma*. 1998;45(6):1039-1045.
3. Chun JM, Groh GI, Rockwood CA. Two-part fractures of the proximal humerus. *J Shoulder Elbow Surg*. 1994;3(5):273-287.
4. Cowan J, Lozano-Calderón S, Ring D. Quality of prospective controlled randomized trials. Analysis of trials of treatment for lateral epicondylitis as an example. *J Bone Joint Surg Am*. 2007;89(8):1693-1699.
5. DeBottis D, Anavian J, Green A. Surgical management of isolated greater tuberosity fractures of the proximal humerus. *Orthop Clin North Am*. 2014;45(2):207-218.
6. Dimakopoulos P, Panagopoulos A, Kasimatis G, Syggelos SA, Lambiris E. Anterior traumatic shoulder dislocation associated with displaced greater tuberosity fracture: the necessity of operative treatment. *J Orthop Trauma*. 2007;21(2):104-112.
7. Dimakopoulos P, Panagopoulos A, Kasimatis G. Transosseous suture fixation of proximal humeral fractures. *J Bone Joint Surg Am*. 2007;89(8):1700-1709.
8. Flatow EL, Cuomo F, Maday MG, Miller SR, McIlveen SJ, Bigliani LU. Open reduction and internal fixation of two-part displaced fractures of the greater tuberosity of the proximal part of the humerus. *J Bone Joint Surg Am*. 1991;73(8):1213-1218.
9. Green A, Izzi J. Isolated fractures of the greater tuberosity of the proximal humerus. *J Shoulder Elbow Surg*. 2003;12(6):641-649.
10. Gruson KI, Ruchelsman DE, Tejwani NC. Isolated tuberosity fractures of the proximal humeral: current concepts. *Injury*. 2008;39(3):284-298.
11. Harris JD, Siston RA, Brophy RH, Lattermann C, Carey JL, Flanigan DC. Failures, reoperations, and complications after autologous chondrocyte implantation—a systematic review. *Osteoarthritis Cartilage*. 2011;19(7):779-791.
12. Harris JD, Siston RA, Pan X, Flanigan DC. Autologous chondrocyte implantation: a systematic review. *J Bone Joint Surg Am*. 2010;92(12):2220-2233.
13. Ji J-H, Shafi M, Song I-S, Kim Y-Y, McFarland EG, Moon C-Y. Arthroscopic fixation technique for comminuted, displaced greater tuberosity fracture. *Arthroscopy*. 2010;26(5):600-609.
14. Ji JH, Kim WY, Ra KH. Arthroscopic double-row suture anchor fixation of minimally displaced greater tuberosity fractures. *Arthroscopy*. 2007;23(10):1133.e1-e4.
15. Keene JS, Huizenga RE, Engber WD, Rogers SC. Proximal humeral fractures: a correlation of residual deformity with long-term function. *Orthopedics*. 1983;6(2):173-178.
16. Kim KC, Rhee KJ, Shin HD, Kim YM. Arthroscopic fixation for displaced greater tuberosity fracture using the suture-bridge technique. *Arthroscopy*. 2008;24(1):120e.1-3.
17. Kim SH, Ha KI. Arthroscopic treatment of symptomatic shoulders with minimally displaced greater tuberosity fracture. *Arthroscopy*. 2000;16(7):695-700.
18. McLaughlin HL. Dislocation of the shoulder with tuberosity fracture. *Surg Clin North Am*. 1963;43:1615-1620.
19. Moher D, Liberati A, Tetzlaff J, Altman DG, PRISMA Group. Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *J Clin Epidemiol*. 2009;62(10):1006-1012.
20. Monga P, Verma R, Sharma VK. Closed reduction and external fixation for displaced proximal humeral fractures. *J Orthop Surg (Hong Kong)*. 2009;17(2):142-145.
21. Neer CS. Displaced proximal humeral fractures. I. Classification and evaluation. *J Bone Joint Surg Am*. 1970;52(6):1077-1089.
22. Norouzi M, Naderi MN, Komasi MH, Sharifzadeh SR, Shahrezaei M, Eajazi A. Clinical results of using the proximal humeral internal locking system plate for internal fixation of displaced proximal humeral fractures. *Am J Orthop*. 2012;41(5):E64-E68.
23. Park S-E, Ji J-H, Shafi M, Jung JJ, Gil H-J, Lee H-H. Arthroscopic management of occult greater tuberosity fracture of the shoulder. *Eur J Orthop Surg Traumatol*. 2014;24(4):475-482.
24. Park TS, Choi IY, Kim YH, Park MR, Shon JH, Kim SI. A new suggestion for the treatment of minimally displaced fractures of the greater tuberosity of the proximal humerus. *Bull Hosp Jt Dis*. 1997;56(3):171-176.
25. Platzer P, Kutscha-Lissberg F, Lehr S, Vecsei V, Gaebler C. The influence of displacement on shoulder function in patients with minimally displaced fractures of the greater tuberosity. *Injury*. 2005;36(10):1185-1189.

26. Platzer P, Thalhammer G, Oberleitner G, Kutscha-Lissberg F, Wieland T, Vecsei V, et al. Displaced fractures of the greater tuberosity: a comparison of operative and nonoperative treatment. *J Trauma*. 2008;65(4):843-848.
27. Rath E, Alkrinawi N, Levy O, Debbi R, Amar E, Atoun E. Minimally displaced fractures of the greater tuberosity: outcome of non-operative treatment. *J Shoulder Elbow Surg*. 2013;22(10):e8-e11.
28. Verdano MA, Aliani D, Pellegrini A, Baudi P, Pedrazzi G, Ceccarelli F. Isolated fractures of the greater tuberosity in proximal humerus: does the direction of displacement influence functional outcome? An analysis of displacement in greater tuberosity fractures. *Acta Biomed*. 2013;84(3):219-228.
29. Yin B, Moen TC, Thompson SA, Bigliani LU, Ahmad CS, Levine WN. Operative treatment of isolated greater tuberosity fractures: retrospective review of clinical and functional outcomes. *Orthopedics*. 2012;35(6):e807-e814.

---

No sources of support in the forms of grants, equipment, or other items were received for this study. The authors report no conflict of interest. The authors' personal disclosure information can be accessed through the AAOS Orthopedic Disclosure Program at [www.aaos.org](http://www.aaos.org).

# The Effect of Simulator Training on Safety and Clinical Performance of Common Upper Extremity Procedures

RACHEL M. FRANK MD / LAITH AL-SHIHABI, MD / BRANDON ERICKSON, MD  
ROBERT W. WYSOCKI, MD / BRETT LEVINE, MD, MS

## References

1. Taitsman L, Derstine P. Orthopaedic Surgery RRC Update. Paper presented at ACGME Annual Educational Conference; March 2013; Orlando, FL.
2. Blyth P, Stott NS, Anderson IA. A simulation-based training system for hip fracture fixation for use within the hospital environment. *Injury*. 2007;38(10):1197-1203.
3. LeBlanc J, Hutchison C, Hu Y, Donnon T. A comparison of orthopaedic resident performance on surgical fixation of an ulnar fracture using virtual reality and synthetic models. *J Bone Joint Surg Am*. 2013;95(9):e601-e606, S1-5.
4. Egan C, Egan R, Curran P, Bryan K, Fleming P. Development of a model for teaching manipulation of a distal radial fracture. *J Bone Joint Surg Am*. 2013;95(5):433-438.
5. Bliss JP, Hanner-Bailey HS, Scerbo MW. Determining the efficacy of an immersive trainer for arthroscopy skills. *Stud Health Technol Inform*. 2005;111:54-56.
6. Cannon WD, Nicandri GT, Reinig K, Mevis H, Wittstein J. Evaluation of skill level between trainees and community orthopaedic surgeons using a virtual reality arthroscopic knee simulator. *J Bone Joint Surg Am*. 2014;96(7):e57.
7. Escoto A, Trejos AL, Naish MD, Patel RV, Lebel ME. Force sensing-based simulator for arthroscopic skills assessment in orthopaedic knee surgery. *Stud Health Technol Inform*. 2012;173:129-135.
8. Fucentese SF, Rahm S, Wieser K, Spillmann J, Harders M, Koch PP. Evaluation of a virtual-reality-based simulator using passive haptic feedback for knee arthroscopy. *Knee Surg Sports Traumatol Arthrosc*. 2014 Feb 12.
9. Howells NR, Auplish S, Hand GC, Gill HS, Carr AJ, Rees JL. Retention of arthroscopic shoulder skills learned with use of a simulator. Demonstration of a learning curve and loss of performance level after a time delay. *J Bone Joint Surg Am*. 2009;91(5):1207-1213.
10. Jackson WF, Khan T, Alvand A, Al-Ali S, Gill HS, Price AJ, Rees J. Learning and retaining simulated arthroscopic meniscal repair skills. *J Bone Joint Surg Am*. 2012;94(17):e132.
11. McCarthy A, Harley P, Smallwood R. Virtual arthroscopy training: do the "virtual skills" developed match the real skills required? *Stud Health Technol Inform*. 1999;62:221-227.
12. McCarthy AD, Moody L, Waterworth AR, Bickerstaff DR. Passive haptics in a knee arthroscopy simulator: is it valid for core skills training? *Clin Orthop Relat Res*. 2006;442:13-20.
13. Sherman KP, Ward JW, Wills DP, Sherman VJ, Mohsen AM. Surgical trainee assessment using a VE knee arthroscopy training system (VE-KATS): experimental results. *Stud Health Technol Inform*. 2001;81:465-470.
14. Strom P, Kjellin A, Hedman L, Wredmark T, Fellander-Tsai L. Training in tasks with different visual-spatial components does not improve virtual arthroscopy performance. *Surg Endosc*. 2004;18(1):115-120.
15. Tashiro Y, Miura H, Nakanishi Y, Okazaki K, Iwamoto Y. Evaluation of skills in arthroscopic training based on trajectory and force data. *Clin Orthop Relat Res*. 2009;467(2):546-552.
16. Gomoll AH, O'Toole RV, Czarnecki J, Warner JJ. Surgical experience correlates with performance on a virtual reality simulator for shoulder arthroscopy. *Am J Sports Med*. 2007;35(6):883-888.
17. Gomoll AH, Pappas G, Forsythe B, Warner JJ. Individual skill progression on a virtual reality simulator for shoulder arthroscopy: a 3-year follow-up study. *Am J Sports Med*. 2008;36(6):1139-1142.
18. Henn RF III, Shah N, Warner JJ, Gomoll AH. Shoulder arthroscopy simulator training improves shoulder arthroscopy performance in a cadaveric model. *Arthroscopy*. 2013;29(6):982-985.
19. Martin KD, Belmont PJ, Schoenfeld AJ, Todd M, Cameron KL, Owens BD. Arthroscopic basic task performance in shoulder simulator model correlates with similar task performance in cadavers. *J Bone Joint Surg Am*. 2011;93(21):e1271-e1275.
20. Martin KD, Cameron K, Belmont PJ, Schoenfeld A, Owens BD. Shoulder arthroscopy simulator performance correlates with resident and shoulder arthroscopy experience. *J Bone Joint Surg Am*. 2012;94(21):e160.
21. Pedowitz RA, Esch J, Snyder S. Evaluation of a virtual reality simulator for arthroscopy skills development. *Arthroscopy*. 2002;18(6):E29.
22. Smith S, Wan A, Taffinder N, Read S, Emery R, Darzi A. Early experience and validation work with ProCedicus VA—the ProSolviva virtual reality shoulder arthroscopy trainer. *Stud Health Technol Inform*. 1999;62:337-343.



23. Srivastava S, Youngblood PL, Rawn C, Hariri S, Heinrichs WL, Ladd AL. Initial evaluation of a shoulder arthroscopy simulator: establishing construct validity. *J Shoulder Elbow Surg.* 2004;13(2):196-205.
24. Pollard TC, Khan T, Price AJ, Gill HS, Glyn-Jones S, Rees JL. Simulated hip arthroscopy skills: learning curves with the lateral and supine patient positions: a randomized trial. *J Bone Joint Surg Am.* 2012;94(10):e68.
25. Frank RM, Erickson B, Frank JM, Bush-Joseph CA, Bach BR Jr, Cole BJ, Romeo AA, Provencher MT, Verma NN. Utility of modern arthroscopic simulator training models. *Arthroscopy.* 2014;30(1):121-133.
26. Slade Shantz JA, Leiter JR, Gottschalk T, MacDonald PB. The internal validity of arthroscopic simulators and their effectiveness in arthroscopic education. *Knee Surg Sports Traumatol Arthrosc.* 2014;22(1):33-40.
27. Tay C, Khajuria A, Gupte C. Simulation training: a systematic review of simulation in arthroscopy and proposal of a new competency-based training framework. *Int J Surg.* 2014;12(6):626-633.
28. Badman BL, Rill L, Butkovich B, Arreola M, Griend RA. Radiation exposure with use of the mini-C-arm for routine orthopaedic imaging procedures. *J Bone Joint Surg Am.* 2005;87(1):13-17.
29. Bahari S, Morris S, Broe D, Taylor C, Lenehan B, McElwain J. Radiation exposure of the hands and thyroid gland during percutaneous wiring of wrist and hand procedures. *Acta Orthop Belg.* 2006;72(2):194-198.
30. Chou LB, Chandran S, Harris AH, Tung J, Butler LM. Increased breast cancer prevalence among female orthopedic surgeons. *J Women's Health (Larchmt).* 2012;21(6):683-689.
31. Eismann EA, Wall EJ, Thomas EC, Little MA. Direct beam radiation exposure to surgeons during pinning of supracondylar humerus fractures: does C-arm position and the attending surgeon matter? *J Pediatr Orthop.* 2014;34(2):166-171.
32. Kesavachandran CN, Haamann F, Nienhaus A. Radiation exposure of eyes, thyroid gland and hands in orthopaedic staff: a systematic review. *Eur J Med Res.* 2012;17:28.
33. Plastaras C, Appasamy M, Sayeed Y, McLaughlin C, Charles J, Joshi A, Macron D, Pukenas B. Fluoroscopy procedure and equipment changes to reduce staff radiation exposure in the interventional spine suite. *Pain Physician.* 2013;16(6):E731-E738.
34. Singer G. Radiation exposure to the hands from mini C-arm fluoroscopy. *J Hand Surg.* 2005;30(4):795-797.
35. Singer G. Occupational radiation exposure to the surgeon. *J Am Acad Orthop Surg.* 2005;13(1):69-76.
36. Taher F, Hughes AP, Sama AA, Zeldin R, Schneider R, Holodny EI, Lebl DR, Fantini GA, Nguyen J, Cammisa FP, Girardi FP. 2013 Young Investigator Award winner: how safe is lateral lumbar interbody fusion for the surgeon? A prospective in vivo radiation exposure study. *Spine.* 2013;38(16):1386-1392.
37. Tasbas BA, Yagmurlu MF, Bayrakci K, Ucaner A, Heybeli M. Which one is at risk in intraoperative fluoroscopy? Assistant surgeon or orthopaedic surgeon? *Arch Orthop Trauma Surg.* 2003;123(5):242-244.
38. Tsalafoutas IA, Tsapaki V, Kaliakmanis A, Pneumaticos S, Tsononis F, Koulentianos ED, Papachristou G. Estimation of radiation doses to patients and surgeons from various fluoroscopically guided orthopaedic surgeries. *Radiat Prot Dosimetry.* 2008;128(1):112-119.
39. Tuohy CJ, Weikert DR, Watson JT, Lee DH. Hand and body radiation exposure with the use of mini C-arm fluoroscopy. *J Hand Surg.* 2011;36(4):632-638.
40. Vosbikian MM, Ilyas AM, Watson DD, Leinberry CF. Radiation exposure to hand surgeons' hands: a practical comparison of large and mini C-arm fluoroscopy. *J Hand Surg.* 2014;39(9):1805-1809.
41. LeBlanc J, Hutchison C, Hu Y, Donnon T. Feasibility and fidelity of practising surgical fixation on a virtual ulna bone. *Can J Surg.* 2013;56(4):E91-E97.
42. LeBlanc J, Hutchison C, Hu Y, Donnon T. A comparison of orthopaedic resident performance on surgical fixation of an ulnar fracture using virtual reality and synthetic models. *J Bone Joint Surg Am.* 2013;95(9):e601-e606, S1-S5.
43. Moktar J, Popkin CA, Howard A, Murnaghan ML. Development of a cast application simulator and evaluation of objective measures of performance. *J Bone Joint Surg Am.* 2014;96(9):e76.
44. Pedersen P, Palm H, Ringsted C, Konge L. Virtual-reality simulation to assess performance in hip fracture surgery. *Acta Orthop.* 2014;85(4):403-407.
45. Yehyawi TM, Thomas TP, Ohrt GT, Marsh JL, Karam MD, Brown TD, Anderson DD. A simulation trainer for complex articular fracture surgery. *J Bone Joint Surg Am.* 2013;95(13):e92.

---

No sources of support in the forms of grants, equipment, or other items were received for this study. The authors report no conflict of interest. The authors' personal disclosure information can be accessed through the AAOS Orthopedic Disclosure Program at [www.aaos.org](http://www.aaos.org).

# Correcting Sagittal Imbalance

## A Retrospective Radiographic Study of Decompression and Local Fusion in Cases of Degenerative Scoliosis

PHILIP K. LOUIE, MD / STEVEN PRESCIUTTI, MD / SARAH JOHNSON, BS  
EHSAN TABAREE, MD / THOMAS CHA, MD / HOWARD S. AN, MD

### References

1. Aebi M. Adult scoliosis. *Therapeutische Umschau*. 1987;44(10):757-763.
2. Carter OD, Haynes SG. Prevalence Rates for Scoliosis in US Adults: Results from the First National Health and Nutrition Examination Survey. *Int J Epidemiol*. 1987;16(4):537-544.
3. Hong JY, Suh SW, Modi HN, Hur CY, Song HR, Park JH. The prevalence and radiological findings in 1347 elderly patients with scoliosis. *J Bone Joint Surg Br*. 2010;92-B(7):980-983.
4. Tribus CB. Degenerative Lumbar Scoliosis: Evaluation and Management. *J Am Acad Orthop Surg*. 2003;11(3):174-183.
5. Aebi M. The adult scoliosis. *Eur Spine J*. 2005;14(10):925-948.
6. Jackson RP, Cain JE, Jacobs RR, Cooper BR, McManus GE. The neuroradiographic diagnosis of lumbar herniated nucleus pulposus: II. *Spine*. 1989;14(12):1362-1367.
7. Baghdadi YMK, Larson AN, Dekutoski MB, Cui Q, Sebastian AS, Armitage BM, et al. Sagittal Balance and Spinopelvic Parameters After Lateral Lumbar Interbody Fusion for Degenerative Scoliosis. *Spine*. 2014;39(3):E166-E173.
8. Cho K-J, Kim Y-T, Shin S-H, Suk S-I. Surgical Treatment of Adult Degenerative Scoliosis. *Asian Spine J*. 2014;8(3):371-381.
9. Berven SH, Deviren V, Mitchell B, Wahba G, Hu SS, Bradford DS. Operative Management of Degenerative Scoliosis: An Evidence-Based Approach to Surgical Strategies Based on Clinical and Radiographic Outcomes. *Neurosurg Clin N Am*. 2007;18(2):261-272.
10. Glassman SD, Bridwell KH, Dimar J, Horton W, Berven SH, Schwab FJ. The impact of positive sagittal balance in adult spinal deformity. *Spine*. 2015;30(18):2024-2029.
11. Issack PS, Cunningham ME, Pumberger M, Hughes AP, Cammisia FP. Degenerative Lumbar Spinal Stenosis: Evaluation and Management. *J Am Acad Orthop Surg*. 2012;20(8):527-535.
12. Simmons E, Jackson RP. The management of nerve root entrapment syndromes associated with the collapsing scoliosis of idiopathic lumbar and thoracolumbar curves. *Spine*. 1979;4(6):533-541.
13. Macnab I. Negative disc exploration. An analysis of the causes of nerve-root involvement in sixty-eight patients. *J Bone Joint Surg Am*. 1971;53(5):891-903.
14. Infusa A, An HS. The ideal amount of lumbar foraminal distraction for pedicle screw instrumentation. *Spine*. 1996;21(19):2218-2223.
15. Sansur CA, Smith JS, Coe JD, Glassman SD, Berven SH, Polly DW Jr., et al. Scoliosis Research Society Morbidity and Mortality of Adult Scoliosis Surgery. *Spine*. 2011;36(9):E593-E597.
16. Costanzo G, Zoccali C, Maykowski P, Walter CM, Skoch J, Baaj AA. The role of minimally invasive lateral lumbar interbody fusion in sagittal balance correction and spinal deformity. *Eur Spine J*. 2014;23(S6):699-704.
17. Berjano P, Langella F, Ismael M-F, Damilano M, Scopetta S, Lamartina C. Successful correction of sagittal imbalance can be calculated on the basis of pelvic incidence and age. *Eur Spine J*. 2014;23(S6):587-596.
18. Gill JB. Corrective Osteotomies in Spine Surgery. *J Bone Joint Surg Am*. 2008;90(11):2509.
19. Legaye J, Duval-Beaupere G. Sagittal plane alignment of the spine and gravity: a radiological and clinical evaluation. *Acta Orthop Belg*. 2005;71(2):213-220.
20. Lamartina C, Berjano P. Classification of sagittal imbalance based on spinal alignment and compensatory mechanisms. *Eur Spine J*. 2014;23(6):1177-1189.
21. Schwab F, Patel A, Ungar B, Farcy J-P, Lafage V. Adult Spinal Deformity—Postoperative Standing Imbalance. *Spine*. 2010;35(25):2224-2231. doi:10.1097/BRS.0b013e3181ee6bd4
22. Legaye J, Duval-Beaupere G, Marty C, Hecquet J. Pelvic incidence: a fundamental pelvic parameter for three-dimensional regulation of spinal sagittal curves. *Eur Spine J*. 1998;7(2):99-103.
23. Liu H, Li S, Wang J, Wang T, Yang H, Li Z, et al. An Analysis of Spinopelvic Sagittal Alignment After Lumbar Lordosis Reconstruction for Degenerative Spinal Diseases. *Spine*. 2014;39:S190-S197.
24. Jackson RP, McManus AC. Radiographic analysis of sagittal plane alignment and balance in standing volunteers and patients with low back pain matched for age, sex, and size. A prospective controlled clinical study. *Spine*. 1994;19(14):1611-1618.
25. Harimaya K, Lenke LG, Mishiro T, Bridwell KH, Koester LA, Sides BA. Increasing Lumbar Lordosis of Adult Spinal Deformity Patients via Intraoperative Prone Positioning. *Spine*. 2009;34(22):2406-2412.



26. Peterson MD, Nelson LM, McManus AC, Jackson RP. The Effect of Operative Position on Lumbar Lordosis. *Spine*. 1995;20(12):1419-1424.
27. Kim CH, Chung CK, Park SB, Yang SH, Kim J-H. A Change in Lumbar Sagittal Alignment After Single-Level Anterior Lumbar Interbody Fusion for Lumbar Degenerative Spondylolisthesis with Normal Sagittal Balance. *J Spine Disord Tech*. 2014; Epub ahead of print.

---

No sources of support in the forms of grants, equipment, or other items were received for this study. The authors report no conflict of interest. The authors' personal disclosure information can be accessed through the AAOS Orthopedic Disclosure Program at [www.aaos.org](http://www.aaos.org).

# Pigmented Villonodular Synovitis of the Hip

## A Systematic Review

DAVID M. LEVY, MD / BRYAN D. HAUGHOM, MD / SHANE J. NHO, MD, MS / STEVEN GITELIS, MD

### References

1. Byrd JWT, Jones KS, Maiers GP. Two to 10 Years' follow-up of arthroscopic management of pigmented villonodular synovitis in the hip: a case series. *Arthroscopy*. 2013;29(11):1783-1787. doi:10.1016/j.arthro.2013.08.002.
2. Myers BW, Masi AT. Pigmented villonodular synovitis and tenosynovitis: a clinical epidemiologic study of 166 cases and literature review. *Medicine*. 1980;59(3):223-238.
3. Sciot R, Rosai J, Dal Cin P, et al. Analysis of 35 cases of localized and diffuse tenosynovial giant cell tumor: a report from the Chromosomes and Morphology (CHAMP) study group. *Mod Pathol*. 1999;12(6):576-579.
4. Bertoni F, Unni KK, Beabout JW, Sim FH. Malignant giant cell tumor of the tendon sheaths and joints (malignant pigmented villonodular synovitis). *Am J Surg Pathol*. 1997;21(2):153-163.
5. Mankin H, Trahan C, Hornicek F. Pigmented villonodular synovitis of joints. *J Surg Oncol*. 2011;103(5):386-389. doi:10.1002/jso.21835.
6. Martin RC, Osborne DL, Edwards MJ, Wrightson W, McMasters KM. Giant cell tumor of tendon sheath, tenosynovial giant cell tumor, and pigmented villonodular synovitis: defining the presentation, surgical therapy and recurrence. *Oncol Rep*. 2000;7(2):413-419.
7. Danzig LA, Gershuni DH, Resnick D. Diagnosis and treatment of diffuse pigmented villonodular synovitis of the hip. *Clin Orthop Relat Res*. 1982;(168):42-47.
8. Aurégan J-C, Klouche S, Bohu Y, Lefèvre N, Herman S, Hardy P. Treatment of pigmented villonodular synovitis of the knee. *Arthroscopy*. 2014. doi:10.1016/j.arthro.2014.04.101.
9. Gondolph-Zink B, Puhl W, Noack W. Semiarthroscopic synovectomy of the hip. *Int Orthop*. 1988;12:31-35. doi:10.1007/BF00265738.
10. Moher D, Liberati A, Tetzlaff J, Altman DG, PRISMA Group. Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *J Clin Epidemiol*. 2009;62(10):1006-1012. doi:10.1016/j.jclinepi.2009.06.005.
11. Shoji T, Yasunaga Y, Yamasaki T, et al. Transtrochanteric rotational osteotomy combined with intra-articular procedures for pigmented villonodular synovitis of the hip. *J Orthop Sci*. 2014. doi:10.1007/s00776-014-0563-x.
12. Li LM, Jeffery J. Exceptionally aggressive pigmented villonodular synovitis of the hip unresponsive to radiotherapy. *J Bone Joint Surg Br*. 2011;93(7):995-997. doi:10.1302/0301-620X.93B7.26286.
13. Hoberg M, Amstutz HC. Metal-on-metal hip resurfacing in patients with pigmented villonodular synovitis: a report of two cases. *Orthopedics*. 2010;33(1):50-53. doi:10.3928/01477447-20091124-24.
14. Yoo JJ, Kwon YS, Koo K-H, Yoon KS, Min BW, Kim HJ. Cementless total hip arthroplasty performed in patients with pigmented villonodular synovitis. *J Arthroplasty*. 2010;25(4):552-557. doi:10.1016/j.arth.2009.02.015.
15. Chiari C, Pirich C, Brannath W, Kotz R, Trieb K. What affects the recurrence and clinical outcome of pigmented villonodular synovitis? *Clin Orthop Relat Res*. 2006;450:172-178. doi:10.1097/01.blo.0000224051.01873.fb.
16. Vastel L, Lambert P, De Pinieux G, Charrois O, Kerboull M, Courpied J-P. Surgical treatment of pigmented villonodular synovitis of the hip. *J Bone Joint Surg Am*. 2005;87(5):1019-1024. doi:10.2106/JBJS.C.01297.
17. Shabat S, Kollender Y, Merimsky O, Isakov J. The use of surgery and yttrium 90 in the management of extensive and diffuse pigmented villonodular synovitis of large joints. *Rheumatology*. 2002;41:1113-1118. doi:10.1093/rheumatology/41.10.1113.
18. Gonzalez Della Valle A, Piccaluga F, Potter HG, Salvati EA, Pusso R. Pigmented villonodular synovitis of the hip: 2- to 23-year followup study. *Clin Orthop Relat Res*. 2001;(388):187-199. doi:10.1007/BF00265738.
19. de Visser E, Veth RP, Pruszczynski M, Wobbles T, Van de Putte LB. Diffuse and localized pigmented villonodular synovitis: evaluation of treatment of 38 patients. *Arch Orthop Trauma Surg*. 1999;119(7-8):401-404.
20. Aboulaia AJ, Kaplan L, Jelinek J, Benevenia J, Monson DK. Neuropathy secondary to pigmented villonodular synovitis of the hip. *Clin Orthop Relat Res*. 1996;(325):174-180.
21. Moroni A, Innao V, Picci P. Pigmented villonodular synovitis of the hip. Study of 9 cases. *Ital J Orthop Traumatol*. 1983;9(3):331-337.
22. Aglietti P, Di Muria GV, Salvati EA, Stringa G. Pigmented villonodular synovitis of the hip joint (review of the literature and report of personal case material). *Ital J Orthop Traumatol*. 1983;9(4):487-496.
23. Docken WP. Pigmented villonodular synovitis: a review with illustrative case reports. *Semin Arthritis Rheum*. 1979;9(1):1-22.
24. Scott PM. Bone lesions in pigmented villonodular synovitis. *J Bone Joint Surg Br*. 1968;50(2):306-311.
25. Chung SM, Janes JM. Diffuse pigmented villonodular synovitis of the hip joint. review of the literature and report of four cases. *J Bone Joint Surg Am*. 1965;47:293-303.

26. McMaster PE. Pigmented villonodular synovitis with invasion of bone report of six cases. *Rheumatology*. 1960;42(7):1170-1183.
27. Ghormley RK, Romness JO. Pigmented villonodular synovitis (xanthomatosis) of the hip joint. *Proc Staff Meet Mayo Clin*. 1954;29(6):171-180.
28. Park KS, Diwanji SR, Yang HK, Yoon TR, Seon JK. Pigmented villonodular synovitis of the hip presenting as a buttock mass treated by total hip arthroplasty. *J Arthroplasty*. 2010;25(2):333.e9-12. doi:10.1016/j.arth.2008.10.001.
29. Cowan J, Lozano-Calderón S, Ring D. Quality of prospective controlled randomized trials. Analysis of trials of treatment for lateral epicondylitis as an example. *J Bone Joint Surg Am*. 2007;89(8):1693-1699. doi:10.2106/JBJS.F00858.
30. Harris JD, Siston RA, Pan X, Flanigan DC. Autologous chondrocyte implantation: a systematic review. *J Bone Joint Surg Am*. 2010;92(12):2220-2233. doi:10.2106/JBJS.J.00049.
31. Harris JD, Siston RA, Brophy RH, Lattermann C, Carey JL, Flanigan DC. Failures, re-operations, and complications after autologous chondrocyte implantation: a systematic review. *Osteoarthr Cartil*. 2011;19(7):779-791. doi:10.1016/j.joca.2011.02.010.
32. Rao AS, Vigorita VJ. Pigmented villonodular synovitis (giant-cell tumor of the tendon sheath and synovial membrane). A review of eighty-one cases. *J Bone Joint Surg Am*. 1984;66(1):76-94.
33. Kat S, Kutz R, Elbracht T, Weseloh G, Kuwert T. Radiosynovectomy in pigmented villonodular synovitis. *Nuklearmedizin*. 2000;39(7):209-213.
34. Gitelis S, Heligman D, Morton T. The treatment of pigmented villonodular synovitis of the hip. A case report and literature review. *Clin Orthop Relat Res*. 1989;(239):154-160.
35. Harris JD, McCormick FM, Abrams GD, et al. Complications and reoperations during and after hip arthroscopy: a systematic review of 92 studies and more than 6,000 patients. *Arthroscopy*. 2013;29(3):589-595. doi:10.1016/j.arthro.2012.11.003.

---

No sources of support in the forms of grants, equipment, or other items were received for this study. The authors report no conflict of interest. The authors' personal disclosure information can be accessed through the AAOS Orthopedic Disclosure Program at [www.aaos.org](http://www.aaos.org).

# Anterior Cage Reconstruction Improves Stiffness and Decreases Cancellous Subsidence in a Spondylectomy Model

MATTHEW W. COLMAN, MD / ANDREW GUSS, MS / KENT BACHUS, PHD / W. RYAN SPIKER, MD  
BRANDON D. LAWRENCE, MD / EHSAN TABARAEI, MD / DARREL S. BRODKE, MD

## References

1. Brodke DS, Gollogly S, Bachus KN, Alexander Mohr R, Nguyen BK. Anterior thoracolumbar instrumentation: stiffness and load sharing characteristics of plate and rod systems. *Spine*. 2003;28(16):1794-1801.
2. Chou D, Larios AE, Chamberlain RH, Fifield MS, Hartl R, Dickman CA, Sonntag VK, Crawford NR. A biomechanical comparison of three anterior thoracolumbar implants after corpectomy: are two screws better than one? *J Neurosurg Spine*. 2006;4(3):213-218
3. Dick JC, Brodke DS, Zdeblick TA, Bartel BD, Kunz DN, Rapoff AJ. Anterior instrumentation of the thoracolumbar spine. A biomechanical comparison. *Spine*. 1997; 22(7):744-750
4. Faro FD, White KK, Ahn JS, Oka RS, Mahar AT, Bawa M, Farnsworth CL, Garfin SR, Newton PO. Biomechanical analysis of anterior instrumentation for lumbar corpectomy. *Spine*. 2003;28(22):E468-E471
5. Kanayama M, Ng JT, Cunningham BW, Abumi K, Kaneda K, McAfee PC. Biomechanical analysis of anterior versus circumferential spinal reconstruction for various anatomic stages of tumor lesions. *Spine*. 1999;24(5):445-450
6. Matsuzaki H, Tokuhashi Y, Wakabayashi K, Ishihara K, Shirasaki Y, Tateishi T. Rigix plate system for anterior fixation of thoracolumbar vertebrae. *J Spinal Disord*. 1997;10(4):339-47.
7. Kawahara N, Tomita K, Murakami H, Demura S. Total en bloc spondylectomy for spinal tumors: surgical techniques and related basic background. *Orthop Clin North Am*. 2009;40(1):47-63
8. Bouchard JA, Koka A, Bensusan JS, Stevenson S, Emery SE. Effects of irradiation on posterior spinal fusions. A rabbit model. *Spine*. 1994;19(16):1836-1841
9. Emery SE, Brazinski MS, Koka A, Bensusan JS, Stevenson S. The biological and biomechanical effects of irradiation on anterior spinal bone grafts in a canine model. *J Bone Joint Surg Am*. 1994;76(4):540-548
10. Matsumoto M, Watanabe K, Tsuji T, Ishii K, Nakamura M, Chiba K, Toyama Y. Late instrumentation failure after total en bloc spondylectomy. *J Neurosurg Spine*. 2011;15(3):320-7.
11. Yoshioka K, Murakami H, Demura S, Kato S, Kawahara N, Tomita K, Tsuchiya H. Clinical outcome of spinal reconstruction after total en bloc spondylectomy at 3 or more levels. *Spine*. 2013;38(24):E1511-6.
12. Wittenberg RH1, Shea M, Edwards WT, Swartz DE, White AA 3rd, Hayes WC. A biomechanical study of the fatigue characteristics of thoracolumbar fixation implants in a calf spine model. *Spine*. 1992;17(6 Suppl):S121-8.
13. Disch AC, Schaser KD, Melcher I, Luzzati A, Feraboli F, Schmoelz W. En bloc spondylectomy reconstructions in a biomechanical in-vitro study. *Eur Spine J*. 2008;17(5):715-25.
14. Shannon FJ, DiResta GR, Ottaviano D, Castro A, Healey JH, Boland PJ. Biomechanical analysis of anterior poly-methyl-methacrylate reconstruction following total spondylectomy for metastatic disease. *Spine (Phila Pa 1976)*. 2004;29(19):2096-12.
15. Oda I, Cunningham BW, Abumi K, Kaneda K, McAfee PC. (Phila Pa 1976). The stability of reconstruction methods after thoracolumbar total spondylectomy. An in vitro investigation. *Spine*. 1999;24(16):1634-8.
16. Bartanusz V, Muzumdar A, Hussain M, Moldavsky M, Bucklen B, Khalil S. Spinal instrumentation after complete resection of the last lumbar vertebra: an in vitro biomechanical study after L5 spondylectomy. *Spine (Phila Pa 1976)*. 2011;36(13):1017-21.
17. Hsieh PC, Li KW, Sciubba DM, Suk I, Wolinsky JP, Gokaslan ZL. Posterior-only approach for total en bloc spondylectomy for malignant primary spinal neoplasms: anatomic considerations and operative nuances. *Neurosurgery*. 2009;65(6 Suppl):173-81
18. Kato S, Murakami H, Higashino K, Okada M, Ito Z, Demura S, Kawahara N, Tomita K, Tsuchiya H, Hutton WC. The effect of spinal shortening after total en bloc spondylectomy: a biomechanical study in the thoracic spine. *J Spinal Disord Tech*. 2012;25(6):E183-90.
19. Disch AC1, Schaser KD, Melcher I, Feraboli F, Schmoelz W, Druschel C, Luzzati A. Oncosurgical results of multilevel thoracolumbar en-bloc spondylectomy and reconstruction with a carbon composite vertebral body replacement system. *Spine*. 2011;36(10):E647-55.
20. Ciappetta P, Boriani S, Fava GP. A carbon fiber reinforced polymer cage for vertebral body replacement: technical note. *Neurosurgery*. 1997;41(5):1203-6.
21. Disch AC, Luzzati A, Melcher I, Schaser KD, Feraboli F, Schmoelz W. Threedimensional stiffness in a thoracolumbar en-bloc spondylectomy model: a biomechanical in vitro study. *Clin Biomech (Bristol, Avon)*. 2007;22(9):957-64.

No sources of support in the forms of grants, equipment, or other items were received for this study. The authors report no conflict of interest. The authors' personal disclosure information can be accessed through the AAOS Orthopedic Disclosure Program at [www.aaos.org](http://www.aaos.org).

# Detection of Traumatic Arthrotomy Using the Saline Load Test

RACHEL M. FRANK, MD / WILLIAM SLIKKER III, MD / SIMON X. LEE, MPH / JOHNNY LIN, MD / JOHN J. FERNANDEZ, MD  
ROBERT W. WYSOCKI, MD / MARK S. COHEN, MD / DAVID GARRAS, MD / SIMON LEE, MD

## References

1. Smith IDM, Winstanley JP, Milto KM, et al. Rapid in situ chondrocyte death induced by *Staphylococcus aureus* toxins in a bovine cartilage explant model of septic arthritis. *Osteoarthr Cartil.* 2013;21(11):1755-1765.
2. Patzakis MJ, Dorr LD, Ivler D, Moore TM, Harvey JP. The early management of open joint injuries. A prospective study of one hundred and forty patients. *J Bone Joint Surg Am.* 1975;57(8):1065-1070.
3. Feathers T, Stinner D, Kirk K, Kirby J, Hsu JR. Effectiveness of the saline load test in diagnosis of traumatic elbow arthrotomies. *J Trauma.* 2011;71(5):E110-E113.
4. Konda SR, Davidovitch RI, Egol KA. Computed tomography scan to detect traumatic arthrotomies and identify periarticular wounds not requiring surgical intervention: an improvement over the saline load test. *J Orthop Trauma.* 2013;27(9):498-504.
5. Konda SR, Howard D, Davidovitch RI, Egol KA. The saline load test of the knee redefined: a test to detect traumatic arthrotomies and rule out periarticular wounds not requiring surgical intervention. *J Orthop Trauma.* 2013;27(9):491-497.
6. Metzger P, Carney J, Kuhn K, Booher K, Mazurek M. Sensitivity of the saline load test with and without methylene blue dye in the diagnosis of artificial traumatic knee arthrotomies. *J Orthop Trauma.* 2012;26(6):347-349.
7. Keese GR, Boody AR, Wongworawat MD, Jobe CM. The accuracy of the saline load test in the diagnosis of traumatic knee arthrotomies. *J Orthop Trauma.* 2007;21(7):442-443.
8. Bariteau JT, Blankenhorn BD, Digiovanni CW. Evaluation of saline load test for simulated traumatic arthrotomies of the ankle. *Injury.* 2013;44(11):1498-1501.
9. Voit GA, Irvine G, Beals RK. Saline load test for penetration of periarticular lacerations. *J Bone Joint Surg Br.* 1996;78(5):732-733.
10. Nord RM. Detection of traumatic arthrotomy of the knee using the saline solution load test. *J Bone Joint Surg Am.* 2009;91(1):66.
11. Tornetta P, Boes MT, Schepsis AA, Foster TE, Bhandari M, Garcia E. How effective is a saline arthrogram for wounds around the knee? *Clin Orthop Relat Res.* 2008;466(2):432-435.

---

No sources of support in the forms of grants, equipment, or other items were received for this study. The authors report no conflict of interest. The authors' personal disclosure information can be accessed through the AAOS Orthopedic Disclosure Program at [www.aaos.org](http://www.aaos.org).



# Computed Tomography for the Diagnosis of Periprosthetic Sepsis

PETER N. CHALMERS, MD / HERMAN G. BOTERO, DO / JOHN MEYER, DO  
JONATHAN M. FRANK, MD / SCOTT M. SPORER, MD / BRETT R. LEVINE, MD, MS

## References

1. Kurtz S, Ong K, Lau E, Mowat F, Halpern M. Projections of primary and revision hip and knee arthroplasty in the United States from 2005 to 2030. *J Bone Joint Surg Am.* 2007;89(4):780-785. doi:10.2106/JBJS.F.00222.
2. Valle Della CJ, Zuckerman JD, Di Cesare PE. Periprosthetic sepsis. *Clin Orthop Relat Res.* 2004;(420):26-31.
3. Diwanji SR, Kong IK, Park YH, Cho SG, Song EK, Yoon TR. Two-Stage Reconstruction of Infected Hip Joints. *J Arthroplasty.* 2008;23(5):656-661. doi:10.1016/j.arth.2007.06.007.
4. Fink B, Rechtenbach A, Büchner H, Vogt S, Hahn M. Articulating Spacers Used in Two-stage Revision of Infected Hip and Knee Prostheses Abrade with Time. *Clin Orthop Relat Res.* 2010;469(4):1095-1102. doi:10.1007/s11999-010-1479-1.
5. Gooding CR, Masri BA, Duncan CP, Greidanus NV, Garbuz DS. Durable Infection Control and Function With the PROSTALAC Spacer in Two-stage Revision for Infected Knee Arthroplasty. *Clin Orthop Relat Res.* 2010;469(4):985-993. doi:10.1007/s11999-010-1579-y.
6. Schinsky MF, Valle Della CJ, Sporer SM, Paprosky WG. Perioperative Testing for Joint Infection in Patients Undergoing Revision Total Hip Arthroplasty. *J Bone Joint Surg Am.* 2008;90(9):1869-1875. doi:10.2106/JBJS.G.01255.
7. Shukla SK, Ward JP, Jacofsky MC, Sporer SM, Paprosky WG, Valle Della CJ. Perioperative Testing for Persistent Sepsis Following Resection Arthroplasty of the Hip for Periprosthetic Infection. *J Arthroplasty.* 2010;25(6):87-91. doi:10.1016/j.arth.2010.05.006.
8. Barrack RL, Harris WH. The value of aspiration of the hip joint before revision total hip arthroplasty. *J Bone Joint Surg Am.* 1993;75(1):66-76.
9. Cipriano CA, Brown NM, Michael AM, Moric M, Sporer SM, Valle Della CJ. Serum and synovial fluid analysis for diagnosing chronic periprosthetic infection in patients with inflammatory arthritis. *J Bone Joint Surg Am.* 2012;94(7):594-600. doi:10.2106/JBJS.J.01318.
10. Greidanus NV, Masri BA, Garbuz DS, et al. Use of erythrocyte sedimentation rate and C-reactive protein level to diagnose infection before revision total knee arthroplasty. A prospective evaluation. *J Bone Joint Surg Am.* 2007;89(7):1409-1416. doi:10.2106/JBJS.D.02602.
11. Lachiewicz PF, Rogers GD, Thomason HC. Aspiration of the hip joint before revision total hip arthroplasty. Clinical and laboratory factors influencing attainment of a positive culture. *J Bone Joint Surg Am.* 1996;78(5):749-754.
12. Spanghehl MJ, Masri BA, O'Connell JX, Duncan CP. Prospective analysis of preoperative and intraoperative investigations for the diagnosis of infection at the sites of two hundred and two revision total hip arthroplasties. *J Bone Joint Surg Am.* 1999;81(5):672-683.
13. Valle Della C, Parvizi J, Bauer TW, et al. Diagnosis of periprosthetic joint infections of the hip and knee. *J Am Acad Orthop Surg.* 2010;18(12):760-770.
14. Valle Della C, Parvizi J, Bauer TW, et al. American Academy of Orthopaedic Surgeons clinical practice guideline on: the diagnosis of periprosthetic joint infections of the hip and knee. *J Bone Joint Surg Am.* 2011;93(14):1355-1357. doi:10.2106/JBJS.9314ebo.
15. Aliprandi A, Sconfienza LM, Randelli F, Bandirali M, Di Leo G, Sardanelli F. Magnetic resonance imaging of painful total hip replacement: detection and characterisation of periprosthetic fluid collection and interobserver reproducibility. *Radiol Med.* 2012;117(1):85-95. doi:10.1007/s11547-011-0706-5.
16. Awan O, Chen L, Resnik CS. Imaging evaluation of complications of hip arthroplasty: review of current concepts and imaging findings. *Can Assoc Radiol J.* 2013;64(4):306-313. doi:10.1016/j.carj.2012.08.003.
17. Chen SH, Ho KC, Hsieh PH, Lee MSS, Yen TC. Potential clinical role of 18F FDG-PET/CT in detecting hip prosthesis infection: a study in patients undergoing two-stage revision arthroplasty with an interim spacer. *Q J Nucl Med Mol Imaging.* 2010;54(4):429-435.
18. Cyteval C, Hamm V, Sarrabère MP, Lopez FM, Maury P, Taourel P. Painful infection at the site of hip prosthesis: CT imaging. *Radiology.* 2002;224(2):477-483. doi:10.1148/radiol.2242010989.
19. Hayter CL, Koff MF, Potter HG. Magnetic resonance imaging of the postoperative hip. *J Magn Reson Imaging.* 2012;35(5):1013-1025. doi:10.1002/jmri.23523.
20. Huang M-J, Hsieh P-H, Ueng SWN, Ho K-C, Yen T-C, Lee MS. Use of positron emission tomography to detect infection around antibiotic-loaded cement spacers in patients with high C-reactive protein levels. *Orthopedics.* 2011;34(10):e605-9. doi:10.3928/01477447-20110826-08.
21. Love C, Tomas MB, Marwin SE, Pugliese PV, Palestro CJ. Role of nuclear medicine in diagnosis of the infected joint replacement. *Radiographics.* 2001;21(5):1229-1238. doi:10.1148/radiographics.21.5.g01se191229.
22. Love C, Marwin SE, Palestro CJ. Nuclear medicine and the infected joint replacement. *Semin Nucl Med.* 2009;39(1):66-78. doi:10.1053/j.semnuclmed.2008.08.007.

23. Miller TT. Imaging of hip arthroplasty. *Eur J Radiol*. 2012;81(12):3802-3812. doi:10.1016/j.ejrad.2011.03.103.
24. Palestro CJ, Love C, Miller TT. Infection and musculoskeletal conditions: Imaging of musculoskeletal infections. *Best Pract Res Clin Rheumatol*. 2006;20(6):1197-1218. doi:10.1016/j.berh.2006.08.009.
25. Park JS, Ryu KN, Hong HP, Park YK, Chun YS, Yoo MC. Focal osteolysis in total hip replacement: CT findings. *Skeletal Radiol*. 2004;33(11):632-640. doi:10.1007/s00256-004-0812-8.
26. Tam HH, Bhaludin B, Rahman F, Weller A, Ejindu V, Parthipun A. SPECT-CT in total hip arthroplasty. *Clin Radiol*. 2014;69(1):82-95. doi:10.1016/j.crad.2013.08.003.
27. Temmerman OPP, Raijmakers PGHM, David EFL, et al. A comparison of radiographic and scintigraphic techniques to assess aseptic loosening of the acetabular component in a total hip replacement. *J Bone Joint Surg Am*. 2004;86-A(11):2456-2463.
28. Temmerman OPP, Raijmakers PGHM, Berkhof J, Hoekstra OS, Teule GJJ, Heyligers IC. Accuracy of diagnostic imaging techniques in the diagnosis of aseptic loosening of the femoral component of a hip prosthesis: a meta-analysis. *J Bone Joint Surg Br*. 2005;87(6):781-785. doi:10.1302/0301-620X.87B6.15625.
29. Tomas X, Bori G, Garcia S, et al. Accuracy of CT-guided joint aspiration in patients with suspected infection status post-total hip arthroplasty. *Skeletal Radiol*. 2011;40(1):57-64. doi:10.1007/s00256-010-0940-2.
30. Tohtz SW, Müller M, Morawietz L, Winkler T, Perka C. Validity of Frozen Sections for Analysis of Periprosthetic Loosening Membranes. *Clin Orthop Relat Res*. 2009;468(3):762-768. doi:10.1007/s11999-009-1102-5.
31. Tsaras G, Maduka-Ezeh A, Inwards CY, et al. Utility of intraoperative frozen section histopathology in the diagnosis of periprosthetic joint infection: a systematic review and meta-analysis. *J Bone Joint Surg Am*. 2012;94(18):1700-1711. doi:10.2106/JBJS.J.00756.
32. Valle Della CJ, Sporer SM, Jacobs JJ, Berger RA, Rosenberg AG, Paprosky WG. Preoperative Testing for Sepsis Before Revision Total Knee Arthroplasty. *J Arthroplasty*. 2007;22(6):90-93. doi:10.1016/j.arth.2007.04.013.
33. Schmalzried TP, Jasty M, Harris WH. Periprosthetic bone loss in total hip arthroplasty. Polyethylene wear debris and the concept of the effective joint space. *J Bone Joint Surg Am*. 1992;74(6):849-863.
34. Eisler T, Svensson O, Engström CF, et al. Ultrasound for diagnosis of infection in revision total hip arthroplasty. *J Arthroplasty*. 2001;16(8):1010-1017. doi:10.1054/arth.2001.24378.
35. Chalmers PN, Sporer SM, Levine BR. Correlation of Aspiration Results With Periprosthetic Sepsis in Revision Total Hip Arthroplasty. *J Arthroplasty*. 2013. doi:10.1016/j.arth.2013.06.020.

---

This study did not receive any financial support. All authors declare no relevant financial conflicts of interest. Please see appended conflicts of interest for full details of conflicts of interest not relevant to this manuscript. The authors' personal disclosure information can be accessed through the AAOS Orthopedic Disclosure Program at [www.aaos.org](http://www.aaos.org).

# Development of the Modern Total Hip Arthroplasty: Part 2

NICHOLAS BROWN, MD / DAVID FARDON, MD / GUNNAR B. J. ANDERSSON, MD, PHD

## References

1. Neumann L, Freund KG, Sorenson KH. Long-term results of Charnley total hip replacement. Review of 92 patients at 15 to 20 years. *J Bone Joint Surg Br.* 1994;76(2):245-51.
2. Mulroy RD, Jr, Harris WH. The effect of improved cementing techniques on component loosening in total hip replacement. An 11-year radiographic review. *J Bone Joint Surg Br.* 1990;72(5):757-60.
3. Jones LC, Hungerford DS. Cement disease. *Clin Orthop Relat Res.* 1987;(225)(225):192-206.
4. Troelsen A, Malchau E, Sillesen N, Malchau H. A review of current fixation use and registry outcomes in total hip arthroplasty: the uncemented paradox. *Clin Orthop Relat Res.* 2013;471(7):2052-9.
5. Della Valle C. Lifetime Achievement: An Interview With Joint Replacement Pioneer Jorge O. Galante, MD, DMSc. *Rush Orthopedics Journal.* 2010.
6. Gomez PF, Morcuende JA. A historical and economic perspective on Sir John Charnley, Chas F. Thackray Limited, and the early arthroplasty industry. *Iowa Orthop J.* 2005;25:30-7.
7. Troelsen A, Malchau E, Sillesen N, Malchau H. A review of current fixation use and registry outcomes in total hip arthroplasty: the uncemented paradox. *Clin Orthop Relat Res.* 2013;471(7):2052-9.
8. Murray DW. Cemented femoral fixation: the North Atlantic divide. *Bone Joint J.* 2013;95-B(11 Suppl A):51-2.
9. Parvizi J, Sullivan T, Duffy G, Cabanela ME. Fifteen-year clinical survivorship of Harris-Galante total hip arthroplasty. *J Arthroplasty.* 2004;19(6):672-7.
10. Harris WH, Schiller AL, Scholler JM, Freiberg RA, Scott R. Extensive localized bone resorption in the femur following total hip replacement. *J Bone Joint Surg Am.* 1976;58(5):612-8.
11. Gordon AC, D'Lima DD, Colwell CW, Jr. Highly cross-linked polyethylene in total hip arthroplasty. *J Am Acad Orthop Surg.* 2006;14(9):511-23.
12. D'Antonio JA, Sutton K. Ceramic materials as bearing surfaces for total hip arthroplasty. *J Am Acad Orthop Surg.* 2009;17(2):63-8.
13. McKee GK, Watson-Farrar J. Replacement of arthritic hips by the McKee-Farrar prosthesis. *J Bone Joint Surg Br.* 1966;48(2):245-59.
14. Defense.gov News Transcript: DoD News Briefing – Secretary Rumsfeld and Ge. Myers, United States Department of Defense (defense.gov)
15. Jacobs JJ, Urban RM, Hallab NJ, Skipor AK, Fischer A, Wimmer MA. Metal-on-metal bearing surfaces. *J Am Acad Orthop Surg.* 2009;17(2):69-76.
16. Smith-Peterson MN. Evolution of Mould Arthroplasty of the Hip Joint. *J Bone Joint Surg Am.* 1947;30B(1):59,-75.
17. Amstutz HC, Le Duff MJ. Hip resurfacing: a 40-year perspective. *HSS J.* 2012;8(3):275-82.
18. Judet R, Judet J. Technique and results with the acrylic femoral head prosthesis. *J Bone Joint Surg Br.* 1952;34-B(2):173-80.
19. Berger RA. Total hip arthroplasty using the minimally invasive two-incision approach. *Clin Orthop Relat Res.* 2003;(417)(417):232-41.
20. Berger RA. Minimally invasive THR using two incisions. *Orthopedics.* 2004;27(4):382-3.
21. Vail TP, Callaghan JJ. Minimal incision total hip arthroplasty. *J Am Acad Orthop Surg.* 2007;15(12):707-15.
22. Berry DJ. Prevalence of Total Hip (THA) and Total Knee (TKA) Arthroplasty in the United States. AAOS poster presentation 2014.
23. Thomas C. Arthritis-Crippled Gorilla Gets New Hips From People Doctor. *Associated Press.* 1986.
24. Coventry MB. Foreword. In: Amstutz HC (ed). *Hip Arthroplasty.* New York: Churchill Livingstone; 1991.

---

The authors' personal disclosure information can be accessed through the AAOS Orthopedic Disclosure Program at [www.aaos.org](http://www.aaos.org).