

Introducing Arthroscopic Techniques in Kenya

An Intermediate-term Follow-up

KEVIN WANG, BS / ANNABELLE DAVEY, BS / ERIC COTTER, BS

KYLE PILZ, MMS, PA-C / FRANCIS MBUGUA, MBCHB / BRIAN J. COLE, MD, MBA

References

1. Patil RN, Almale BD, Patil M, et al. Attitudes and perceptions of medical undergraduates towards mobile learning (M-learning). *J Clin Diagn Res.* 2016;10(10):Jc06-jc10.
2. LaGrone LN, Isquith-Dicker LN, Huaman Egoavil E, et al. Surgeons' and trauma care physicians' perception of the impact of the globalization of medical education on quality of care in Lima, Peru. *JAMA Surg.* 2017;153(3):251-256.
3. Ekenze SO, Okafor CI, Ekenze OS, et al. The value of internet tools in undergraduate surgical education: perspective of medical students in a developing country. *World J Surg.* 2017;41(3):672-680.
4. Huhn D, Huber J, Ippen FM, et al. International medical students' expectations and worries at the beginning of their medical education: a qualitative focus group study. *BMC Med Educ.* 2016;16:33.
5. Mejía A, Royston E, Pizurki H. Physician and nurse migration: analysis and policy implications, report on a WHO study. *World Health Organization.* 1979:1-476.
6. Hallock JA, Seeling SS, Norcini JJ. The international medical graduate pipeline. *Health Aff (Millwood).* 2003;22(4):94-96.
7. Astor A, Akhtar T, Matallana MA, et al. Physician migration: views from professionals in Colombia, Nigeria, India, Pakistan, and the Philippines. *Soc Sci Med.* 2005;61(12):2492-2500.
8. Karan A, DeUgarte D, Barry M. Medical "brain drain" and health care worker shortages: how should international training programs respond? *AMA J Ethics.* 2016;18(7):665-675.
9. Pang T, Lansang MA, Haines A. Brain drain and health professionals: a global problem needs global solutions. *BMJ.* 2002;324(7336):499-500.
10. Dearani JA, Jacobs JP, Bolman RM III, et al. Humanitarian outreach in cardiothoracic surgery: from setup to sustainability. *Ann Thorac Surg.* 2016;102(3):1004-1011.
11. Ott BB, Olson RM. Ethical issues of medical missions: the clinicians' view. *HEC Forum.* 2011;23(2):105-113.
12. Tibor LM, Hoenecke HR, Jr. Introducing arthroscopy to a developing nation: when and how to make it sustainable. *J Bone Joint Surg Am.* 2012;94(2):e8.
13. Shrimé MG, Bickler SW, Alkire BC, Mock C. Global burden of surgical disease: an estimation from the provider perspective. *Lancet.* 2015;3(suppl 2):S8-9.
14. Debas HT, Gosselin R, McCord C, Thind A. Surgery. In: Jamison DT et al, eds. *Disease Control Priorities in Developing Countries.* 2nd ed. New York, NY: Oxford University Press; 2006. 1245-1260.
15. Groen RS, Samai M, Stewart KA, et al. Untreated surgical conditions in Sierra Leone: a cluster randomised, cross-sectional, countrywide survey. *Lancet.* 2012;380(9847):1082-1087.
16. Emergency and essential surgical care—Surgery: the neglected component of primary care. World Health Organization website. http://www.who.int/surgery/esc_component/en/. Accessed January 27, 2017.
17. Schriest VF II, Dennis DA. Keynote address: the humanity of orthopaedics. *J Bone Joint Surg Am.* 2009;91(suppl 5):37-39.
18. Gutnik L, Yamey G, Riviello R, et al. Financial contributions to global surgery: an analysis of 160 international charitable organizations. *Springerplus.* 2016;5(1):1558.
19. Salamon LM. Putting the civil society sector on the economic map of the world. *Ann Public Coop Econ.* 2010;81(2):167-210.
20. Bolkan HA, Von Schreeb J, Samai MM, et al. Met and unmet needs for surgery in Sierra Leone: a comprehensive, retrospective, countrywide survey from all health care facilities performing operations in 2012. *Surgery.* 2015;157(6):992-1001.
21. Torchia MT, Schroder LK, Hill BW, Cole PA. A patient follow-up program for short-term surgical mission trips to a developing country. *J Bone Joint Surg Am.* 2016;98(3):226-232.
22. White M, Alcorn D, Randall K, et al. Evaluation of patient satisfaction, impact, and disability-free survival after a surgical mission in Madagascar: a pilot survey. *World J Surg.* 2017;41(2):364-369.
23. Bido J, Singer SJ, Diez Portela D, et al. Sustainability assessment of a short-term international medical mission. *J Bone Joint Surg Am.* 2015;97(11):944-949.
24. Shrimé MG, Sleemi A, Ravilla TD. Charitable platforms in global surgery: a systematic review of their effectiveness, cost-effectiveness, sustainability, and role training. *World J Surg.* 2015;39(1):10-20.
25. Campbell A, Restrepo C, Mackay D, et al. Scalable, sustainable cost-effective surgical care: a model for safety and quality in the developing world, part III: impact and sustainability. *J Craniofac Surg.* 2014;25(5):1685-1689.

26. Coughlin RR, Kelly NA, Berry W. Nongovernmental organizations in musculoskeletal care: Orthopaedics Overseas. *Clin Orthop Relat Res.* 2008;466(10):2438-2442.
27. Spiegel DA, Gosselin RA, Coughlin RR, et al. The burden of musculoskeletal injury in low and middle-income countries: challenges and opportunities. *J Bone Joint Surg Am.* 2008;90(4):915-923.
28. Cousins GR, Obolensky L, McAllen C, et al. The Kenya orthopaedic project: surgical outcomes of a travelling multidisciplinary team. *J Bone Joint Surg Br.* 2012;94(12):1591-1594.
29. Gosselin RA, Spiegel DA, Coughlin R, Zirkle LG. Injuries: the neglected burden in developing countries. *Bull World Health Organ.* 2009;87(4):246-246a.
30. Bhashyam AR, Fils J, Lowell J, et al. A novel approach for needs assessment to build global orthopedic surgical capacity in a low-income country. *J Surg Educ.* 2015;72(4):e2-8.
31. Mulimba J. Orthopaedic training in Kenya. *East Afr Orthop J.* 2010;4(1):22-25.
32. Garrett WE, Jr, Swionkowski MF, Weinstein JN, et al. American Board of Orthopaedic Surgery practice of the orthopaedic surgeon: part II, certification examination case mix. *J Bone Joint Surg Am.* 2006;88(3):660-667.
33. Mulimba J. Development of orthopaedics in Kenya. *East Afr Orthop J.* 2007;1(1):45-47.
34. Mulimba J. Dr. Mika Majale memorial lecture. *East Afr Orthop J.* 2015;9(2):42-43.
35. Gakuu L. Anterior cruciate reconstruction using bone-patellar ligament–bone autograft. *East Afr Orthop J.* 1(1):4-8.
36. Byakika T. Anterior cruciate ligament injuries and outcome of arthroscopic reconstruction using quadrupled hamstrings: a Kenyan experience. *East Afr Orthop J.* 1(1):9-15.
37. Singh AJ, Garner P, Floyd K. Cost-effectiveness of public-funded options for cataract surgery in Mysore, India. *Lancet.* 2000;355(9199):180-184.
38. Kenya—about the hospital. CURE International website. <https://cure.org/kenya/>. Updated 2016. Accessed January 27, 2017.
39. Training Hospitals. The College of Surgeons of East, Central, & Southern Africa website. <http://www.cosecsa.org/training-hospitals>. Updated 2016. Accessed January 27, 2017.

No sources of support in the forms of grants, equipment, or other items were received for this study. The authors report no conflict of interest. The authors' personal disclosure information can be accessed through the AAOS Orthopedic Disclosure Program at www.aaos.org.

A Novel Traction Frame for Femur Fracture Management in Developing Countries

MOLLY C. MEADOWS, MD / DAVID M. LEVY, MD / LOCH TRIMINGHAM, MD / DENNIS J. GATES, MD

References

1. Peltier LF. A brief history of traction. *J Bone Joint Surg Am.* 1968;50(8):1603-1617.
2. Küntscher G. The intramedullary nailing of fractures. *J Orthop Trauma.* 2014;28(suppl 8):S3-S10. doi:10.1097/BOT.0000000000000184.
3. Zirkle LG. Injuries in developing countries—how can we help? The role of orthopaedic surgeons. *Clin Orthop Relat Res.* 2008;466(10):2443-2450. doi:10.1007/s11999-008-0387-0.
4. Clough JF, Zirkle LG, Schmitt RJ. The role of SIGN in the development of a global orthopaedic trauma database. *Clin Orthop Relat Res.* 2010;468(10):2592-2597. doi:10.1007/s11999-010-1442-1.
5. Young S, Lie SA, Hallan G, Zirkle LG, Engesæter LB, Havelin LI. Risk factors for infection after 46,113 intramedullary nail operations in low- and middle-income countries. *World J Surg.* 2013;37(2):349-355. doi:10.1007/s00268-012-1817-4.
6. Gates DJ, Alms M, Cruz MM. Hinged cast and roller traction for fractured femur. A system of treatment for the Third World. *J Bone Joint Surg Br.* 1985;67(5):750-756.
7. Sop AL, Mehlman CT, Meiss L. *Hyphenated History: the Böhler-Braun Frame.* Vol 17. 2003:217-221.
8. Lim SS, Vos T, Flaxman AD, et al. A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. *Lancet.* 2012;380(9859):2224-2260. doi:10.1016/S0140-6736(12)61766-8.
9. Bach O. Musculoskeletal trauma in an East African public hospital. *Injury.* 2004;35(4):401-406. doi:10.1016/S0020-1383(03)00290-0.
10. Kramer EJ, Shearer D, Morshed S. The use of traction for treating femoral shaft fractures in low- and middle-income countries: a systematic review. *Int Orthop.* 2016;40(5):875-883. doi:10.1007/s00264-015-3081-3.
11. Sekimpi P, Okike K, Zirkle L, Jawa A. Femoral fracture fixation in developing countries: an evaluation of the Surgical Implant Generation Network (SIGN) intramedullary nail. *J Bone Joint Surg Am.* 2011;93(19):1811-1818. doi:10.2106/JBJS.J.01322.
12. Agarwal-Harding KJ, Keudell von A, Zirkle LG, Meara JG, Dyer GSM. Understanding and addressing the global need for orthopaedic trauma care. *J Bone Joint Surg Am.* 2016;98(21):1844-1853. doi:10.2106/JBJS.16.00323.
13. Fadero PE, Alabi S, Adebule GT, et al. Locked intramedullary nailing for the treatment of femoral shaft fractures: experience and result in 19 cases. *Niger J Med.* 2008;17(2):168-172.

No sources of support in the forms of grants, equipment, or other items were received for this study. The authors report no conflict of interest. The authors' personal disclosure information can be accessed through the AAOS Orthopedic Disclosure Program at www.aaos.org.

Use of a 3-Dimensionally Printed Anatomic Model for Surgical Correction of a Supracondylar Humerus Fracture Malunion

A Case Report

ALEJANDRO A. ESPINOZA ORÍAS, PHD / NOZOMU INOUE, MD, PHD / REENA PATEL, PA-C / MARK S. COHEN, MD

References

1. Caffrey T, Campbell I, Wohlers T. *The Wohlers Report 2016—3D Printing and Additive Manufacturing. The State of the Industry, Annual Worldwide Progress Report.* 2016; 2016:335.
2. Di Prima M, Coburn M, Hwang D, Kelly J, Khairuzzaman A, Ricles L. Additively manufactured medical products: the FDA Perspective. *3D Printing in Medicine.* 2016;2.
3. Mirochnik N, Hagege A, Zacouto F, Guerot C. Physical reproduction of cardiac sutures. A new field of investigation in cardiology. *Arch mal coeur vaiss.* 2000;93:1203-1209.
4. Ono I, Abe K, Shiotani S, Hirayama Y. Producing a full-scale model from computed tomographic data with the rapid prototyping technique using the binder jet method: a comparison with the laser lithography method using a dry skull. *J Craniofac Surg.* 2000;11:527-537.
5. Witkowski S, Lange R. Stereolithography as an additive technique in dentistry. *Schweizer Monatsschrift fur Zahmedizin = Revue mensuelle suisse d'odonto-stomatologie = Rivista mensile svizzera di odontologia e stomatologia.* 2003;113:868-884.
6. Silva DN, Gerhardt de Oliveira M, Meurer E, Meurer MI, Lopes da Silva JV, Santa-Barbara A. Dimensional error in selective laser sintering and 3D printing of models for craniomaxillary anatomy reconstruction. *J Craniomaxillofac Surg.* 2008;36:443-449.
7. Sodian R, Schmauss D, Markert M, Weber S, Nikolaou K, Haeberle S, Vogt F, Vicol C, Lueth T, Reichart B, Schmitz C. Three-dimensional printing creates models for surgical planning of aortic valve replacement after previous coronary bypass grafting. *Ann Thorac Surg.* 2008;85:2105-2108.
8. Ciocca L, De Crescenzo F, Fantini M, Scotti R. CAD/CAM and rapid prototyped scaffold construction for bone regenerative medicine and surgical transfer of virtual planning: a pilot study. *Comput Med Imag Grap.* 2009;33:58-62.
9. Cohen A, Laviv A, Berman P, Nashef R, Abu-Tair J. Mandibular reconstruction using stereolithographic 3-dimensional printing modeling technology. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2009;108:661-666.
10. Ibrahim D, Broilo TL, Heitz C, de Oliveira MG, de Oliveira HW, Nobre SM, Dos Santos Filho JH, Silva DN. Dimensional error of selective laser sintering, three-dimensional printing and polyjet models in the reproduction of mandibular anatomy. *J Craniomaxillofac Surg.* 2009;37:167-173.
11. Khalaghchi S, Mousavi P, Gong RH, Gill S, Boisvert J, Fichtinger G, Pichora D, Borschneck D, Abolmaesumi P. Registration of a statistical shape model of the lumbar spine to 3d ultrasound images. *Med Image Comput Comput Assist Interv.* 2010;13:68-75.
12. Rengier F, Mehndiratta A, von Tengg-Kobligk H, Zechmann CM, Unterhinninghofen R, Kauczor HU, Giesel FL. 3d printing based on imaging data: review of medical applications. *Int J Comput Assist Radiol Surg.* 2010;5:335-341.
13. Chana-Rodríguez F, Mañanes RP, Rojo-Manaute J, Gil P, Martínez-Gómez JM, Vaquero-Martín J. 3d surgical printing and pre contoured plates for acetabular fractures. *Injury.* 2016.
14. Ebert LC, Thali MJ, Ross S. Getting in touch: 3d printing in forensic imaging. *Forensic Sci Int.* 2011;211:e1-6.
15. Eltorai AE, Nguyen E, Daniels AH. Three-dimensional printing in orthopedic surgery. *Orthopedics.* 2015;38:684-687.
16. Fuller SM, Butz DR, Vevang CB, Makhlof MV. Application of 3-dimensional printing in hand surgery for production of a novel bone reduction clamp. *J Hand Surg.* 2014;39:1840-1845.
17. Hsu AR, Ellington JK. Patient-specific 3-dimensional printed titanium truss cage with tibiotalocalcaneal arthrodesis for salvage of persistent distal tibia nonunion. *Foot Ankle Spec.* 2015;8:483-489.
18. Huang H, Hsieh MF, Zhang G, Ouyang H, Zeng C, Yan B, Xu J, Yang Y, Wu Z, Huang W. Improved accuracy of 3d-printed navigational template during complicated tibial plateau fracture surgery. *Australas Phys Eng Sci Med.* 2015;38:109-117.
19. Kim HN, Liu XN, Noh KC. Use of a real-size 3d-printed model as a preoperative and intraoperative tool for minimally invasive plating of comminuted midshaft clavicle fractures. *J Orthop Surg Res.* 2015;10:91.
20. Matsumoto JS, Morris JM, Foley TA, Williamson EE, Leng S, McGee KP, Kuhlmann JL, Nesberg LE, Vrtiska TJ. Three-dimensional physical modeling: applications and experience at Mayo Clinic. *Radiographics.* 2015;35:1989-2006.
21. Mitsouras D, Liacouras P, Imanzadeh A, Giannopoulos AA, Cai T, Kumamaru KK, George E, Wake N, Caterson EJ, Pomahac B, Ho VB, Grant GT, Rybicki FJ. Medical 3d printing for the radiologist. *Radiographics.* 2015;35:1965-1988.

22. Yang L, Shang XW, Fan JN, He ZX, Wang JJ, Liu M, Zhuang Y, Ye C. Application of 3d printing in the surgical planning of trimalleolar fracture and doctor-patient communication. *Biomed Res Int.* 2016;2016:2482086.
23. Mahaisavariya B, Sitthiseripratip K, Oris P, Tongdee T. Rapid prototyping model for surgical planning of corrective osteotomy for cubitus varus: report of two cases. *Inj Extra.* 2006;37:176-180.
24. Bhatla P, Tretter JT, Ludomirsky A, Argilla M, Latson LA, Jr., Chakravarti S, Barker PC, Yoo SJ, McElhinney DB, Wake N, Mosca RS. Utility and scope of rapid prototyping in patients with complex muscular ventricular septal defects or double-outlet right ventricle: Does it alter management decisions? *Pediatr Cardiol.* 2016;38:103-114.
25. Heller M, Bauer HK, Goetze E, Gielisch M, Roth KE, Drees P, Maier GS, Dorweiler B, Ghazy A, Neufurth M, Muller WE, Schroder HC, Wang X, Vahl CF, Al-Nawas B. Applications of patient-specific 3d printing in medicine. *Int J Comput Dent.* 2016;19:323-339.
26. Krauel L, Fenollosa F, Riaza L, Perez M, Tarrado X, Morales A, Goma J, Mora J. Use of 3d prototypes for complex surgical oncologic cases. *World J Surg.* 2016;40:889-894.
27. Maini L, Sharma A, Jha S, Sharma A, Tiwari A. Three-dimensional printing and patient-specific pre-contoured plate: Future of acetabulum fracture fixation? *Eur J Trauma Emerg Surg.* 2016. [Epub ahead of print].
28. Pacione D, Tanweer O, Berman P, Harter DH. The utility of a multimaterial 3d printed model for surgical planning of complex deformity of the skull base and cranivertebral junction. *J Neurosurg.* 2016;125:1194-1197.
29. Provaggi E, Leong JJ, Kalaskar DM. Applications of 3d printing in the management of severe spinal conditions. *Proc Inst Mech Eng H.* 2017;231(6):471-486.
30. Randazzo M, Pisapia JM, Singh N, Thawani JP. 3d printing in neurosurgery: a systematic review. *Surg Neurol Int.* 2016;7(suppl 33):S801-s809.
31. Suarez-Mejias C, Gomez-Ciriza G, Valverde I, Parra Calderon C, Gomez-Cia T. New technologies applied to surgical processes: virtual reality and rapid prototyping. *Stud Health Technol Inform.* 2015;210:669-671.
32. Wang YT, Yang XJ, Yan B, Zeng TH, Qiu YY, Chen SJ. Clinical application of three-dimensional printing in the personalized treatment of complex spinal disorders. *Chinese J Traumatol = Zhonghua chuang shang za zhi.* 2016;19:31-34.
33. Barr LV. Paediatric supracondylar humeral fractures: epidemiology, mechanisms and incidence during school holidays. *J Child Orthop.* 2014;8:167-170.
34. Brubacher JW, Dodds SD. Pediatric supracondylar fractures of the distal humerus. *Curr Rev Musculoskelet Med.* 2008;1:190-196.

No sources of support in the forms of grants, equipment, or other items were received for this study. The authors report no conflict of interest. The authors' personal disclosure information can be accessed through the AAOS Orthopedic Disclosure Program at www.aaos.org.

New Technology in Orthopedic Oncology

Preliminary Experience With a Hybrid Cold Plasma Surgical Tool

STEVEN GITELIS, MD

References

1. Link WJ, Incropera FP, Glover JL. A plasma scalpel comparison of tissue damage and wound healing with electrosurgical and steel scalpels. *Arch Surg.* 1976;111(4):392-397.
2. Glover JL, Bendick PJ, Link WJ, Plunkett RJ. The plasma scalpel: a new thermal knife. *Lasers Surg Med.* 1982;2(1):101-106.
3. Choi CQ. "Plasma scalpels" may make surgery more precise and less bloody. *Scientific American.* <https://www.scientificamerican.com/article/plasma-scalpels-surgery-more-precise-less-bloody/>. June 1, 2013.
4. Guild GN, Runner R, Castilleja G, Smith M, Vu C. Efficacy of plasma hybrid scalpel in reducing blood loss and transfusions in direct anterior total hip arthroplasty. *J Arthroplasty.* 2017;32(2):458-462.
5. Gitelis S, Thomas R, Templeton A, Schajowicz F. Characterization of the pseudocapsule of soft tissue sarcomas: an experimental study. *Clin Orthop Relat Res.* 1989 Sep;(246):285-292.

No sources of support in the forms of grants, equipment, or other items were received for this study. The authors report no conflict of interest. The authors' personal disclosure information can be accessed through the AAOS Orthopedic Disclosure Program at www.aaos.org.

Dynamic 3-Dimensional Mapping of Isometric Anterior Cruciate Ligament Attachment Sites on the Tibia and Femur

BRIAN FORSYTHE, MD / DREW LANSDOWN, MD / WILLIAM ZUKE, BA / BEATRICE GO, BS / NIKHIL N. VERMA, MD

BRIAN J. COLE, MD, MBA / BERNARD R. BACH, JR, MD / NOZOMU INOUE, MD, PHD

References

1. Sanders TL, Maradit Kremers H, Bryan AJ, et al. Incidence of anterior cruciate ligament tears and reconstruction: a 21-year population-based study. *Am J Sports Med.* 2016;44:1502-1507.
2. Reinhardt KR, Hetsroni I, Marx RG. Graft selection for anterior cruciate ligament reconstruction: a level I systematic review comparing failure rates and functional outcomes. *Orthop Clin North Am.* 2010;41:249-262.
3. Kamath GV, Redfern JC, Greis PE, Burks RT. Revision anterior cruciate ligament reconstruction. *Am J Sports Med.* 2011;39:199-217.
4. Trojani C, Sbihi A, Djian P, et al. Causes for failure of ACL reconstruction and influence of meniscectomies after revision. *Knee Surg Sports Traumatol Arthrosc.* 2011;19:196-201.
5. Gabriel MT, Wong EK, Woo SL, Yagi M, Debski RE. Distribution of in situ forces in the anterior cruciate ligament in response to rotatory loads. *J Orthop Res.* 2004;22:85-89.
6. Hefzy MS, Grood ES, Noyes FR. Factors affecting the region of most isometric femoral attachments. Part II: The anterior cruciate ligament. *Am J Sports Med.* 1989;17:208-216.
7. Zavras TD, Race A, Bull AM, Amis AA. A comparative study of 'isometric' points for anterior cruciate ligament graft attachment. *Knee Surg Sports Traumatol Arthrosc.* 2001;9:28-33.
8. Giron F, Cuomo P, Aglietti P, Bull AM, Amis AA. Femoral attachment of the anterior cruciate ligament. *Knee Surg Sports Traumatol Arthrosc.* 2006;14:250-256.
9. Musahl V, Plakseychuk A, VanScyoc A, et al. Varying femoral tunnels between the anatomical footprint and isometric positions: effect on kinematics of the anterior cruciate ligament-reconstructed knee. *Am J Sports Med.* 2005;33:712-718.
10. Lee JS, Kim TH, Kang SY, et al. How isometric are the anatomic femoral tunnel and the anterior tibial tunnel for anterior cruciate ligament reconstruction? *Arthroscopy.* 2012;28:1504-1512.
11. Nawabi DH, Tucker S, Schafer KA, et al. ACL fibers near the lateral intercondylar ridge are the most load bearing during stability examinations and isometric through passive flexion. *Am J Sports Med.* 2016;44:2563-2571.
12. Forsythe B, Kopf S, Wong AK, et al. The location of femoral and tibial tunnels in anatomic double-bundle anterior cruciate ligament reconstruction analyzed by three-dimensional computed tomography models. *J Bone Joint Surg Am.* 2010;92:1418-1426.

No sources of support in the forms of grants, equipment, or other items were received for this study. The authors report no conflict of interest. The authors' personal disclosure information can be accessed through the AAOS Orthopedic Disclosure Program at www.aaos.org.

Efficacy of Intra-Articular Injections for Pain Control After Hip Arthroscopy for Femoroacetabular Impingement

NICOLE A. FRIEL, MD, MS / GIFT UKWUANI, MD / BRYCE A. BASQUES, MD / SHANE J. NHO, MD, MS

References

1. Kay J, de Sa D, Memon M, Simunovic N, Paul J, Ayeni OR. Examining the role of perioperative nerve blocks in hip arthroscopy: a systematic review. *Arthroscopy*. 2016;32(4):704-715.
2. Frank RM, Lee S, Bush-Joseph CA, Kelly BT, Salata MJ, Nho SJ. Improved outcomes after hip arthroscopic surgery in patients undergoing T-capsulotomy with complete repair versus partial repair for femoroacetabular impingement: a comparative matched-pair analysis. *Am J Sports Med*. 2014;42(11):2634-2642. doi:10.1177/0363546514548017.
3. Harris JD, Slikker W III, Gupta AK, McCormick FM, Nho SJ. Routine complete capsular closure during hip arthroscopy. *Arthrosc Tech*. 2013;2(2):e89-94. doi:10.1016/j.eats.2012.11.007.
4. Slikker W III, Van Thiel GS, Chahal J, Nho SJ. The use of double-loaded suture anchors for labral repair and capsular repair during hip arthroscopy. *Arthrosc Tech*. 2012;1(2):e213-217. doi:10.1016/j.eats.2012.08.002.
5. Dold AP, Murnaghan L, Xing J, Abdallah FW, Brull R, Whelan DB. Preoperative femoral nerve block in hip arthroscopic surgery: a retrospective review of 108 consecutive cases. *Am J Sports Med*. 2014;42(1):144-149. doi:10.1177/0363546513510392.
6. Ward JP, Albert DB, Altman R, Goldstein RY, Cuff G, Youm T. Are femoral nerve blocks effective for early postoperative pain management after hip arthroscopy? *Arthroscopy*. 2012;28(8):1064-1069. doi:10.1016/j.arthro.2012.01.003.
7. Xing JG, Abdallah FW, Brull R, Oldfield S, Dold A, Murnaghan ML, Whelan DB. Preoperative femoral nerve block for hip arthroscopy: a randomized, triple-masked controlled trial. *Am J Sports Med*. 2015;43(11):2680-2687. doi:10.1177/0363546515602468.
8. Schroeder KM, Donnelly MJ, Anderson BM, Ford MP, Keene JS. The analgesic impact of preoperative lumbar plexus blocks for hip arthroscopy. A retrospective review. *Hip Int*. 2013;23(1):93-98. doi:10.5301/HIP.2013.10613.
9. YaDeau JT, Tedore T, Goytizolo EA, Kim DH, Green DS, Westrick A, Fan R, Rade MC, Ranawat AS, Coleman SH, Kelly BT. Lumbar plexus blockade reduces pain after hip arthroscopy: a prospective randomized controlled trial. *Anesth Analg*. 2012;115(4):968-972. doi:10.1213/ANE.0b013e318265bacd.
10. Lee EM, Murphy KP, Ben-David B. Postoperative analgesia for hip arthroscopy: combined L1 and L2 paravertebral blocks. *J Clin Anesth*. 2008;20(6):462-465. doi:10.1016/j.jclinane.2008.04.012.
11. Potter MQ, Sun GS, Fraser JA, Beckmann JT, Swenson JD, Maak TG, Aoki SK. Psychological distress in hip arthroscopy patients affects postoperative pain control. *Arthroscopy*. 2014;30(2):195-201. doi:10.1016/j.arthro.2013.11.010.
12. Yu HC, Al-Shehri M, Johnston KD, Endersby R, Baghirzada L. Anesthesia for hip arthroscopy: a narrative review. *Can J Anaesth*. 2016;63(11):1277-1290. doi:10.1007/s12630-016-0718-7.
13. Baker JF, McGuire CM, Byrne DP, Hunter K, Eustace N, Mulhall KJ. Analgesic control after hip arthroscopy: a randomised, double-blinded trial comparing portal with intra-articular infiltration of bupivacaine. *Hip Int*. 2011;21(3):373-377. doi:10.5301/HIP.2011.8390.
14. Shlaifer A, Sharfman ZT, Martin HD, Amar E, Kazum E, Warschawski Y, Paret M, Brill S, Drexler M, Rath E. Preemptive analgesia in hip arthroscopy: a randomized controlled trial of preemptive periacetabular or intra-articular bupivacaine in addition to postoperative intra-articular bupivacaine. *Arthroscopy*. 2017;33(1):118-124. doi:10.1016/j.arthro.2016.07.026.
15. Cogan CJ, Knesek M, Tjong VK, Nair R, Kahlenberg C, Dunne KF, Kendall MC, Terry MA. Assessment of intraoperative intra-articular morphine and clonidine injection in the acute postoperative period after hip arthroscopy. *Orthop J Sports Med*. 2016;4(2):2325967116631335. doi:10.1177/2325967116631335.

No sources of support in the forms of grants, equipment, or other items were received for this study. The authors report no conflict of interest. The authors' personal disclosure information can be accessed through the AAOS Orthopedic Disclosure Program at www.aaos.org.

Carbon-Fiber-Reinforced Polyetheretherketone

How a Novel Material Is Challenging Historical Thinking

KAMRAN S. HAMID, MD, MPH / DAVID M. WALTON, MD / JOEL G. MORASH, MD / SIMON LEE, MD

References

1. Li CS, Vannabouathong C, Sprague S, Bhandari M. The use of carbon-fiber-reinforced (CFR) PEEK material in orthopedic implants: a systematic review. *Clin Med Insights Arthritis Musculoskelet Disord.* 2015;8:33-45.
2. Gerszten PC, Paschel E, Mashaly H, Sabry H, Jalalod'din H, Saoud K. Outcomes evaluation of zero-profile devices compared to stand-alone PEEK cages for the treatment of three- and four-level cervical disc disease. *Cureus.* 2016;8(9):e775.
3. Zhou R, Huang Z, Liu X, et al. Kinematics and load-sharing of an anterior thoracolumbar spinal reconstruction construct with PEEK rods: an *in vitro* biomechanical study. *Clin Biomech (Bristol, Avon).* 2016;40:1-7.
4. Hak DJ, Mauffrey C, Seligson D, Lindeque B. Use of carbon-fiber-reinforced composite implants in orthopedic surgery. *Orthopedics.* 2014;37(12):825-830.
5. Steinberg EL, Rath E, Shlaifer A, Chechik O, Maman E, Salai M. Carbon fiber reinforced PEEK Optima—a composite material biomechanical properties and wear/debris characteristics of CF-PEEK composites for orthopedic trauma implants. *J Mech Behav Biomed Mater.* 2013;17:221-228.
6. Brockett CL, Carbone S, Abdelgaiad A, Fisher J, Jennings LM. Influence of contact pressure, cross-shear and counterface material on the wear of PEEK and CFR-PEEK for orthopaedic applications. *J Mech Behav Biomed Mater.* 2016;63:10-16.
7. Merolli A, Rocchi L, De Spirito M, et al. Debris of carbon-fibers originated from a CFRP (pEEK) wrist-plate triggered a destruent synovitis in human. *J Mater Sci Mater Med.* 2016;27(3):50.
8. Katthagen JC, Ellwein A, Lutz O, Voigt C, Lill H. Outcomes of proximal humeral fracture fixation with locked CFR-PEEK plating. *Eur J Orthop Surg Traumatol.* 2016;27(3):351-358.
9. Rotini R, Cavaciocchi M, Fabbri D, et al. Proximal humeral fracture fixation: multicenter study with carbon fiber peek plate. *Musculoskelet Surg.* 2015;99(suppl 1):S1-S8.
10. Schliemann B, Hartensuer R, Koch T, et al. Treatment of proximal humerus fractures with a CFR-PEEK plate: 2-year results of a prospective study and comparison to fixation with a conventional locking plate. *J Shoulder Elbow Surg.* 2015;24(8):1282-1288.
11. Schliemann B, Seifert R, Theisen C, et al. PEEK versus titanium locking plates for proximal humerus fracture fixation: a comparative biomechanical study in two- and three-part fractures. *Arch Orthop Trauma Surg.* 2017;137(1):63-71.
12. Matson AP, Hamid KS, Adams SB. Predictors of time to union after operative fixation of closed ankle fractures. *Foot Ankle Spec.* 2017;10(4):308-314.

No sources of support in the forms of grants, equipment, or other items were received for this study. The authors report no conflict of interest. The authors' personal disclosure information can be accessed through the AAOS Orthopedic Disclosure Program at www.aaos.org.

Randomized Prospective Analysis of Arthroscopic Suprapectoral and Open Subpectoral Biceps Tenodesis

BRIAN FORSYTHE, MD / WILLIAM ZUKE, BA / BEATRICE GO, BS / BRIDGET ELLSWORTH, BS

ADAM YANKE, MD / NIKHIL N. VERMA, MD / ANTHONY A. ROMEO, MD

References

1. Ahrens PM, Boileau P. The long head of biceps and associated tendinopathy. *J Bone Joint Surg Br.* 2007;89-B(8):1001-1009.
2. Elser F, Braun S, Dewing CB, Giphart JE, Millett PJ. Anatomy, function, injuries, and treatment of the long head of the biceps brachii tendon. *Arthroscopy.* 2011;27(4):581-592.
3. Nho SJ, Strauss EJ, Lenart BA, Provencher MT, Mazzocca AD, Verma NN, et al. Long head of the biceps tendinopathy: diagnosis and management. *J Am Acad of Orthop Surg.* 2010;18(11):645-656.
4. Murthi AM, Vosburgh CL, Neviasier TJ. The incidence of pathologic changes of the long head of the biceps tendon. *J Shoulder Elbow Surg.* 2000;9(5):382-385.
5. Schickendantz M, King D. Nonoperative management (including ultrasound-guided injections) of proximal biceps disorders. *Clin Sports Med.* 2016;35(1):57-73.
6. Wilk KE, Hooks TR. The painful long head of the biceps brachii. *Clin Sports Med.* 2016;35(1):75-92.
7. Patel KV, Bravman J, Vidal A, Chrisman A, McCarty E. Biceps tenotomy versus tenodesis. *Clin Sports Med.* 2016;35(1):93-111.
8. Koh KH, Ahn JH, Kim SM, Yoo JC. Treatment of biceps tendon lesions in the setting of rotator cuff tears: prospective cohort study of tenotomy versus tenodesis. *Am J Sports Med.* 2010;38(8):1584-1590.
9. Tahal DS, Katthagen JC, Vap AR, Horan MP, Millett PJ. Subpectoral biceps tenodesis for tenosynovitis of the long head of the biceps in active patients younger than 45 years old. *Arthroscopy.* 2017;33(6):1124-1130.
10. Romeo AA, Mazzocca AD, Tauro JC. Arthroscopic biceps tenodesis. *Arthroscopy.* 2004;20(2):206-213.
11. Slenker NR, Lawson K, Ciccotti MG, Dodson CC, Cohen SB. Biceps tenotomy versus tenodesis: clinical outcomes. *Arthroscopy.* 2012;28(4):576-582.
12. Werner BC, Burrus MT, Miller MD, Brockmeier SF. Tenodesis of the long head of the biceps. *JBJS Revs.* 2014;2(12):1.
13. Werner BC, Evans CL, Holzgrefe RE, Tuman JM, Hart JM, Carson EW, et al. Arthroscopic suprapectoral and open subpectoral biceps tenodesis: a comparison of minimum 2-year clinical outcomes. *Am J Sports Med.* 2014;42(11):2583-2590.
14. Froimson AI, O I. Keyhole tenodesis of biceps origin at the shoulder. *Clin Orthop Relat Res.* 1975;Oct(112):245-249. Epub 1975/10/01.
15. Johannsen AM, Macalena JA, Carson EW, Tompkins M. Anatomic and radiographic comparison of arthroscopic suprapectoral and open subpectoral biceps tenodesis sites. *Am J Sports Med.* 2013;41(12):2919-2924.
16. Patzer T, Rundic JM, Bobrowitsch E, Olander GD, Hurschler C, Schofer MD. Biomechanical comparison of arthroscopically performable techniques for suprapectoral biceps tenodesis. *Arthroscopy.* 2011;27(8):1036-1047.
17. Werner BC, Lyons ML, Evans CL, Griffin JW, Hart JM, Miller MD, et al. Arthroscopic suprapectoral and open subpectoral biceps tenodesis: a comparison of restoration of length-tension and mechanical strength between techniques. *Arthroscopy.* 2015;31(4):620-627.
18. Gombera MM, Kahlenberg CA, Nair R, Saltzman MD, Terry MA. Allarthroscopic suprapectoral versus open subpectoral tenodesis of the long head of the biceps brachii. *Am J Sports Med.* 2015;43(5):1077-1083.
19. Tashjian RZ, Deloach J, Green A, Porucznik CA, Powell AP. Minimal clinically important differences in ASES and simple shoulder test scores after nonoperative treatment of rotator cuff disease. *J Bone Joint Surg Am.* 2010;92(2):296-303.
20. Dickens JF, Kilcoyne KG, Tintle SM, Giuliani J, Schaefer RA, Rue JP. Subpectoral biceps tenodesis: an anatomic study and evaluation of at-risk structures. *Am J Sports Med.* 2012;40(10):2337-2341.
21. Mazzocca AD, Cote MP, Arciero CL, Romeo AA, Arciero RA. Clinical outcomes after subpectoral biceps tenodesis with an interference screw. *Am J Sports Med.* 2008;36(10):1922-1929.

22. Nho SJ, Reiff SN, Verma NN, Slabaugh MA, Mazzocca AD, Romeo AA. Complications associated with subpectoral biceps tenodesis: low rates of incidence following surgery. *J Shoulder Elbow Surg.* 2010;19(5):764-768.
23. Lutton DM, Gruson KI, Harrison AK, Gladstone JN, Flatow EL. Where to tenodese the biceps: proximal or distal? *Clin Orthop Relat Res.* 2010;469(4):1050-1055.
24. Sanders B, Lavery KP, Pennington S, Warner JJP. Clinical success of biceps tenodesis with and without release of the transverse humeral ligament. *J Shoulder Elbow Surg.* 2012;21(1):66-71.
25. DePalma AF. Bicipital tenosynovitis. *Surg Clin North Am.* 1953;33(6):1693-1702.

No sources of support in the forms of grants, equipment, or other items were received for this study. The authors report no conflict of interest. The authors' personal disclosure information can be accessed through the AAOS Orthopedic Disclosure Program at www.aaos.org.

Hip Preservation and Periacetabular Osteotomy

Clinical Update and Case Presentation

JOEL WILLIAMS, MD

References

1. Steppacher SD, Tannast M, Ganz R, Siebenrock KA. Mean 20-year followup of Bernese periacetabular osteotomy. *Clin Orthop Relat Res.* 2008;466(7):1633-1644.

No sources of support in the forms of grants, equipment, or other items were received for this study. The authors report no conflict of interest. The authors' personal disclosure information can be accessed through the AAOS Orthopedic Disclosure Program at www.aaos.org.