



Demographic Data by Priority Condition - Additional

January 1, 2011 – July 31, 2021

1 Contents

| | | |
|----|--------------------------------------|----|
| 1 | Contents | 1 |
| 2 | Alcoholic Hepatitis..... | 2 |
| 3 | Acoustic Neuroma..... | 3 |
| 4 | Bleeding and Clotting Disorders..... | 4 |
| 5 | Hypertension..... | 5 |
| 6 | Nasal Polyps..... | 6 |
| 7 | Prematurity | 7 |
| 8 | Pulmonary Hypertension..... | 8 |
| 9 | Rhinitis..... | 9 |
| 10 | Sinusitis..... | 10 |
| 11 | Sleep Apnea..... | 11 |
| 12 | Tinnitus..... | 12 |

2 Alcoholic Hepatitis

Total Patient Count: 1023

| <u>Race</u> | <u>Count of Unique Patients</u> |
|---------------------------|--|
| White | 568 (55.52%) |
| Black or African American | 205 (20.04%) |
| Asian | <12 (0.11%) |
| Other | 216 (21.11%) |
| Unknown | 23 (2.25%) |

| <u>Ethnicity</u> | <u>Count of Unique Patients</u> |
|-------------------------|--|
| Hispanic or Latinx | 251 (24.54%) |
| Not Hispanic or Latinx | 762 (74.49%) |
| Unknown | <12 (0.98%) |

| <u>Sex</u> | <u>Count of Unique Patients</u> |
|-------------------|--|
| Male | 697 (68.13%) |
| Female | 326 (31.87%) |
| Unknown | 0 (0.00%) |

| <u>Age</u> | <u>Count of Unique Patients</u> |
|-------------------|--|
| <18 | 0 (0.00%) |
| 18-24 | <12 (0.39%) |
| 25-44 | 380 (37.15%) |
| 45-64 | 512 (50.05%) |
| 65-74 | 105 (10.26%) |
| >75 | 22 (2.15%) |

3 Acoustic Neuroma

Total Patient Count: 715

| <u>Race</u> | <u>Count of Unique Patients</u> |
|---------------------------|--|
| White | 505 (70.63%) |
| Black or African American | 69 (9.65%) |
| Asian | 43 (6.01%) |
| Other | 82 (11.47%) |
| Unknown | 16 (2.24%) |

| <u>Ethnicity</u> | <u>Count of Unique Patients</u> |
|-------------------------|--|
| Hispanic or Latinx | 90 (12.59%) |
| Not Hispanic or Latinx | 614 (85.87%) |
| Unknown | <12 (1.54%) |

| <u>Sex</u> | <u>Count of Unique Patients</u> |
|-------------------|--|
| Male | 297 (41.54%) |
| Female | 418 (58.46%) |
| Unknown | 0 (0.00%) |

| <u>Age</u> | <u>Count of Unique Patients</u> |
|-------------------|--|
| <18 | <12 (0.42%) |
| 18-24 | <12 (0.70%) |
| 25-44 | 120 (16.78%) |
| 45-64 | 287 (40.14%) |
| 65-74 | 176 (24.62%) |
| >75 | 124 (17.34%) |

4 Bleeding and Clotting Disorders

Total Patient Count: 23,241

| <u>Race</u> | <u>Count of Unique Patients</u> |
|---------------------------|--|
| White | 12,311 (52.97%) |
| Black or African American | 6443 (27.72%) |
| Asian | 637 (2.74%) |
| Other | 3471 (14.93%) |
| Unknown | 379 (1.63%) |

| <u>Ethnicity</u> | <u>Count of Unique Patients</u> |
|-------------------------|--|
| Hispanic or Latinx | 4092 (17.61%) |
| Not Hispanic or Latinx | 18,944 (81.51%) |
| Unknown | 205 (0.88%) |

| <u>Sex</u> | <u>Count of Unique Patients</u> |
|-------------------|--|
| Male | 11,225 (48.30%) |
| Female | 12,016 (51.70%) |
| Unknown | 0 (0.00%) |

| <u>Age</u> | <u>Count of Unique Patients</u> |
|-------------------|--|
| <18 | 875 (3.76%) |
| 18-24 | 586 (2.52%) |
| 25-44 | 4308 (18.54%) |
| 45-64 | 6824 (29.36%) |
| 65-74 | 4974 (21.40%) |
| >75 | 5674 (24.41%) |

5 Hypertension

Total Patient Count: 241,440

| <u>Race</u> | <u>Count of Unique Patients</u> |
|---------------------------|--|
| White | 120,744 (50.01%) |
| Black or African American | 81,722 (33.85%) |
| Asian | 5,713 (2.37%) |
| Other | 29,378 (12.17%) |
| Unknown | 3,883 (1.61%) |

| <u>Ethnicity</u> | <u>Count of Unique Patients</u> |
|-------------------------|--|
| Hispanic or Latinx | 33,635 (13.93%) |
| Not Hispanic or Latinx | 205,263 (85.02%) |
| Unknown | 2,542 (1.05%) |

| <u>Sex</u> | <u>Count of Unique Patients</u> |
|-------------------|--|
| Male | 112,902 (46.76%) |
| Female | 128,532 (53.24%) |
| Unknown | <12 (0.00%) |

| <u>Age</u> | <u>Count of Unique Patients</u> |
|-------------------|--|
| <18 | 801 (0.33%) |
| 18-24 | 1,419 (0.59%) |
| 25-44 | 24,136 (10.00%) |
| 45-64 | 84,750 (35.10%) |
| 65-74 | 61,645 (25.53%) |
| >75 | 68,689 (28.45%) |

6 Nasal Polyps

Total Patient Count: 2221

| <u>Race</u> | <u>Count of Unique Patients</u> |
|---------------------------|--|
| White | 1338 (60.24%) |
| Black or African American | 458 (20.62%) |
| Asian | 66 (2.97%) |
| Other | 315 (14.18%) |
| Unknown | 44 (1.98%) |

| <u>Ethnicity</u> | <u>Count of Unique Patients</u> |
|-------------------------|--|
| Hispanic or Latinx | 359 (16.16%) |
| Not Hispanic or Latinx | 1843 (82.98%) |
| Unknown | 19 (0.86%) |

| <u>Sex</u> | <u>Count of Unique Patients</u> |
|-------------------|--|
| Male | 1176 (52.95%) |
| Female | 1045 (47.05%) |
| Unknown | 0 (0.00%) |

| <u>Age</u> | <u>Count of Unique Patients</u> |
|-------------------|--|
| <18 | 38 (1.71%) |
| 18-24 | 88 (3.96%) |
| 25-44 | 630 (28.37%) |
| 45-64 | 876 (39.44%) |
| 65-74 | 363 (16.34%) |
| >75 | 226 (10.18%) |

7 Prematurity

Total Patient Count: 3678

| <u>Race</u> | <u>Count of Unique Patients</u> |
|---------------------------|--|
| White | 1231 (33.47%) |
| Black or African American | 1383 (37.60%) |
| Asian | 136 (3.70%) |
| Other | 827 (22.49%) |
| Unknown | 101 (2.75%) |

| <u>Ethnicity</u> | <u>Count of Unique Patients</u> |
|-------------------------|--|
| Hispanic or Latinx | 1138 (30.94%) |
| Not Hispanic or Latinx | 2468 (67.10%) |
| Unknown | 72 (1.96%) |

| <u>Sex</u> | <u>Count of Unique Patients</u> |
|-------------------|--|
| Male | 1820 (49.48%) |
| Female | 1857 (50.49%) |
| Unknown | <12 (0.03%) |

| <u>Age</u> | <u>Count of Unique Patients</u> |
|-------------------|--|
| <18 | 3418 (92.93%) |
| 18-24 | 24 (0.65%) |
| 25-44 | 230 (6.25%) |
| 45-64 | <12 (0.16%) |
| 65-74 | 0 (0.00%) |
| >75 | 0 (0.00%) |

8 Pulmonary Hypertension

Total Patient Count: 9408

| <u>Race</u> | <u>Count of Unique Patients</u> |
|---------------------------|--|
| White | 4133 (43.93%) |
| Black or African American | 3945 (41.93%) |
| Asian | 185 (1.97%) |
| Other | 1048 (11.14%) |
| Unknown | 97 (1.03%) |

| <u>Ethnicity</u> | <u>Count of Unique Patients</u> |
|-------------------------|--|
| Hispanic or Latinx | 1212 (12.88%) |
| Not Hispanic or Latinx | 8130 (86.42%) |
| Unknown | 66 (0.70%) |

| <u>Sex</u> | <u>Count of Unique Patients</u> |
|-------------------|--|
| Male | 3801 (40.40%) |
| Female | 5607 (59.60%) |
| Unknown | 0 (0.00%) |

| <u>Age</u> | <u>Count of Unique Patients</u> |
|-------------------|--|
| <18 | 309 (3.28%) |
| 18-24 | 43 (0.46%) |
| 25-44 | 676 (7.19%) |
| 45-64 | 2310 (24.55%) |
| 65-74 | 2290 (24.34%) |
| >75 | 3780 (40.18%) |

9 Rhinitis

Total Patient Count: 13,452

| <u>Race</u> | <u>Count of Unique Patients</u> |
|---------------------------|--|
| White | 6375 (47.39%) |
| Black or African American | 3691 (27.44%) |
| Asian | 549 (4.08%) |
| Other | 2554 (18.99%) |
| Unknown | 283 (2.10%) |

| <u>Ethnicity</u> | <u>Count of Unique Patients</u> |
|-------------------------|--|
| Hispanic or Latinx | 2985 (22.19%) |
| Not Hispanic or Latinx | 10,289 (76.49%) |
| Unknown | 178 (1.32%) |

| <u>Sex</u> | <u>Count of Unique Patients</u> |
|-------------------|--|
| Male | 5119 (38.05%) |
| Female | 8333 (61.95%) |
| Unknown | 0 (0.00%) |

| <u>Age</u> | <u>Count of Unique Patients</u> |
|-------------------|--|
| <18 | 1372 (10.20%) |
| 18-24 | 669 (4.97%) |
| 25-44 | 4305 (32.00%) |
| 45-64 | 3840 (28.55%) |
| 65-74 | 1819 (13.52%) |
| >75 | 1447 (10.76%) |

10 Sinusitis

Total Patient Count: 29,033

| <u>Race</u> | <u>Count of Unique Patients</u> |
|---------------------------|--|
| White | 18,870 (65.00%) |
| Black or African American | 5477 (18.86%) |
| Asian | 714 (2.46%) |
| Other | 3550 (12.23%) |
| Unknown | 422 (1.45%) |

| <u>Ethnicity</u> | <u>Count of Unique Patients</u> |
|-------------------------|--|
| Hispanic or Latinx | 4932 (16.99%) |
| Not Hispanic or Latinx | 23,823 (82.05%) |
| Unknown | 278 (0.96%) |

| <u>Sex</u> | <u>Count of Unique Patients</u> |
|-------------------|--|
| Male | 9471 (32.62%) |
| Female | 19,562 (67.38%) |
| Unknown | 0 (0.00%) |

| <u>Age</u> | <u>Count of Unique Patients</u> |
|-------------------|--|
| <18 | 1684 (5.80%) |
| 18-24 | 1763 (6.07%) |
| 25-44 | 9412 (32.42%) |
| 45-64 | 10,566 (36.39%) |
| 65-74 | 3590 (12.37%) |
| >75 | 2018 (6.95%) |

11 Sleep Apnea

Total Patient Count: 50,674

| <u>Race</u> | <u>Count of Unique Patients</u> |
|---------------------------|--|
| White | 27,836 (54.93%) |
| Black or African American | 13,658 (26.95%) |
| Asian | 986 (1.95%) |
| Other | 7311 (14.43%) |
| Unknown | 883 (1.74%) |

| <u>Ethnicity</u> | <u>Count of Unique Patients</u> |
|-------------------------|--|
| Hispanic or Latinx | 8616 (17.00%) |
| Not Hispanic or Latinx | 41,599 (82.09%) |
| Unknown | 459 (0.91%) |

| <u>Sex</u> | <u>Count of Unique Patients</u> |
|-------------------|--|
| Male | 28,389 (56.02%) |
| Female | 22,285 (43.98%) |
| Unknown | 0 (0.00%) |

| <u>Age</u> | <u>Count of Unique Patients</u> |
|-------------------|--|
| <18 | 3039 (6.00%) |
| 18-24 | 784 (1.55%) |
| 25-44 | 7753 (15.3%) |
| 45-64 | 20,102 (39.67%) |
| 65-74 | 11,404 (22.50%) |
| >75 | 7592 (14.98%) |

12 Tinnitus

Total Patient Count: 844

| <u>Race</u> | <u>Count of Unique Patients</u> |
|---------------------------|--|
| White | 418 (49.53%) |
| Black or African American | 220 (26.07%) |
| Asian | 34 (4.03%) |
| Other | 153 (18.13%) |
| Unknown | 19 (2.25%) |

| <u>Ethnicity</u> | <u>Count of Unique Patients</u> |
|-------------------------|--|
| Hispanic or Latinx | 183 (21.68%) |
| Not Hispanic or Latinx | 649 (76.90%) |
| Unknown | 12 (1.42%) |

| <u>Sex</u> | <u>Count of Unique Patients</u> |
|-------------------|--|
| Male | 175 (20.73%) |
| Female | 669 (79.27%) |
| Unknown | 0 (0.00%) |

| <u>Age</u> | <u>Count of Unique Patients</u> |
|-------------------|--|
| <18 | <12 (0.36%) |
| 18-24 | 12 (1.42%) |
| 25-44 | 266 (31.52%) |
| 45-64 | 284 (33.65%) |
| 65-74 | 161 (19.08%) |
| >75 | 117 (13.86%) |